

Demolition Tools Catalogue
CONTENTS

CONTENTS

PAGE

Warranty	2
Tool Selection	2
Care and Use	3
Chisel Orientation	4
Catalogue Numbering System	5
Hammer Type & Tool Reference	5-12
Arrowhead	13-14
Atlas Copco	15-21
Caterpillar	22-24
Everdigm	25-27
Furukawa	28-32
Hanwoo	33-34
Indeco	35-38
Italdem	39-41
Krupp	42-46
Montabert	47-54
MSB	55-58
NPK	59-64
Promove	65-66
Rammer	67-76
Rotair	77
Socomec	78-80
Soosan	81-83
Toku	84-86
Toyo	87-89
Catalogue number index	90-94
Warranty Guide	95-96

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
1

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.



Demolition Tools Catalogue
WARRANTY

Thomas Turton's tools are guaranteed against defects in raw material and manufacture.

No other warranty is implied or expressed. The company's liability in respect of any warranty claims is limited to replacement and does not extend to any other expenditure incurred or to any consequential damage. Warranty claims are subject to immediate notification of any problems and return of the goods to Thomas Turton under their returned goods system. See pages 95 & 96 for our full warranty details


TOOL SELECTION

Correct selection of tools is the first step in obtaining maximum life from the product.



Conical Point

for general demolition work where penetrative breaking is required.



Wide Chisels

for increased productivity in softer materials. Tarmac Cutters - as Wide Chisels but with 90 degree orientation for cutting/trenching.



Pyramid Points

for use where increased breakout forces are required



Rail Guard

for driving in rail guards.



X Type Point

for use in soft or high dust operations.



Blunts

for impact breaking, eg. secondary breaking and also scaling in mines and tunnels, etc.



Chisels

as for Points but also where a cutting action is required, eg. trenching and benching
Note: Chisels give higher wear rates and stress levels in the retainer flat areas of the tool.



Upset Blunt

Blunt with increased diameter at working end to give increased life and wear resistance.



Grooved Chisel

for use in soft or high dust operations.



Rammer Stems & Pads

for compacting loose ground.



Driving Tool

for driving in posts, pipes etc.



Hard Rock Chisels

for hard and abrasive rock conditions

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

Working Angle

Critical to tool life is using the tool at the correct working angle of 90° to the working surface. Failure to do this will result in high contact pressure between the tool and the bushings and the likelihood of galling between the surfaces. In turn this can lead to premature failure of the tool plus damage and rapid wear to the bushings. Worn bushings can allow the tool to be angled over to a position where the striking face is hit at an angle by the piston.

Lubrication

Lubrication of the tool/bushing with the correct quality high temperature/high pressure grease at regular intervals is essential. Such greases are best able to cope with the extreme contact pressures generated by an incorrect working angle, leverage and excessive bending etc.

USE OF CHEAP SUBSTITUTES (OR NO GREASE AT ALL) IS FALSE ECONOMY AND WILL RESULT IN PREMATURE TOOL FAILURE.

Blank Firing

Continuing to use the hammer when the tool is not or only partially in contact with the work surface will result in the tool being fired down on to the retainer pin. This will cause heavy wear and damage to the upper retainer flat radius area and the retaining pin itself.

Tools should be examined regularly, eg. every 40 hours for damage in this area which should then be ground out.

At the same time as the tool is examined the opportunity should be taken to check the tool bushings for wear and damage with a view to replacement or reconditioning as necessary.

Overheating

Avoid continuous working in one position. Do not strike in one spot for more than 10 - 15 seconds before changing the tool to another position. Failure to do this can lead to excessive heat build-up at the working end with 'mushrooming' as a consequence.

Leverage/Bending

Using the tool as a lever to help break the ground is a common tool breaker. Avoid leverage and excessive bending at all times.

Loose running

Keep the boom and hammer feed sufficient to ensure that the tool is held against the hammer shoulder stop, at all times when working.

Tool Reconditioning

Under most normal conditions the tool will not need reconditioning. However, tools that have lost their shape on the working end can cause high stresses throughout the tool and hammer.

Reconditioning by milling or turning is recommended. Welding or flame cutting is not recommended as the heat generated could cause structural changes within the material which in turn can lead to premature failure or rapid wear.



PAGE
3

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CHISEL ORIENTATION

Transverse (East/West) have the blade of the tool transverse to the axis of the carrier boom when mounted. All standard chisels and wide chisels have the blade in the transverse mode.

In-Line (North/South) have the chisel tool blade "In-Line" (parallel) to the axis of the carrier boom. All in-line chisels and tarmac cutters have the blade in the "In-line" mode.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
4

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CATALOGUE NUMBERING SYSTEM

All catalogue numbers start with 2 letters, followed by a 2 digit number, which is the Thomas Turton designation for the hammer type, eg. **MB35P0410**.

The second section defines the tool type and length, eg. MB35**P0410**. The working end configuration is defined by a letter (see below) and the 4 digits represent the tool length in mm, eg. **0410**:

- | | |
|--------------------------------|--|
| ' P ' = Point (Conical) | ' WC ' = Wide Chisel, followed by blade width, eg. MB35C0410-WC-120 |
| ' C ' = Chisel | ' TC ' = Tarmac Cutter (in-line wide chisel) eg. MB35C04100-TC-120 |
| ' B ' = Blunt | ' HRC ' = Hard Rock Chisel |
| ' PP ' = Pyramid Point | |
| ' XP ' = 'X' point | |
| ' GC ' = grooved chisel | |
| ' BU ' = blunt upset | |

For correct selection of tool types see page 2

Note: For special tools such as Railguards, Rammer Stem & Pads and Driving Tools, please contact our sales office.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
ALLIED		
HY-RAM 77	165	43
HY-RAM 88	171	44
HY-RAM 99	ON REQUEST	
HY-RAM 700	159	42
HY-RAM 710/711	161	42
HY-RAM 711B	162	42
HY-RAM 715	163	42
HY-RAM 720	ON REQUEST	
HY-RAM 725	164	43
HY-RAM 730	167	43
HY-RAM 735	168	43
HY-RAM 740	169	43
HY-RAM 745	170	44
HY-RAM 750	172	44
HY-RAM 750B	173	44
HY-RAM 755	174	44
HY-RAM 770	ON REQUEST	
HY-RAM 770B	175	44
HY-RAM 775CS	176	45
HY-RAM 780	ON REQUEST	
HY-RAM 785	177	45
HY-RAM 790/795	ON REQUEST	
HY-RAM 795CS	178	45
HY-RAM 797	179	45
HY-RAM 800/805	180	45
HY-RAM 905	182	46
AR48	ON REQUEST	
AR62	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
ARDEN		
AB 100/102	ON REQUEST	
AB 150/152/210/212	ON REQUEST	
AB 280/282/292/350/352	ON REQUEST	
AB 450/500/502	ON REQUEST	
AB 1050/1052	ON REQUEST	
AB 1350/1352	ON REQUEST	
AB 1850/1852	ON REQUEST	
AB 3350/3352/3552	ON REQUEST	
ARROWHEAD		
2T	281	63
4T	283	63
6T	ON REQUEST	
10T	8	14

MACHINE	FIGURE NO.	PAGE NO.
ATLAS COPCO		
PB110	12	15
PB160	13	15
PB210	14	15
PB310	15	15
PB420/530	16	15
SB50, SBC 60	17	15
SB52	18	16
SB100, SBC 115	19	16
SB102	20	16
SB150, SB152, SBC 255	21	16
SB200, SB202, SBC 410	22	16
SB300/SB302, SBC 610, SBC650	23	16
SB300 SCALER	24	17
TEX250H	25	17
TEX 250H SCALER	26	17



PAGE
5



Demolition Tools Catalogue

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
SB450, SBC 800/850, SB452	27	17
SB450 SCALER	ON REQUEST	
SB552	28	17
SB702	29	17
MB500	33	18
MB700/800	34	18
MB750	35	18
MB1000	36	19
MB1200	37	19
MB1500	38	19
MB1600	39	19
MB1700	40	19
HB2000	41	19
HB2200	42	20
HB2500	43	20
HB3000/HB3100	44	20
HB3600	45	20
HB4200	46	20
HB4700	47	21
HB5800	48	21
HB7000	49	21
HBC 1100/1700	29	17
HBC 2500	30	18
HBC 4000	31	18
HBC 6000	32	18
TEX 30	17	15
TEX 100H/75H	19	16
TEX 110H	21	16
TEX 180H	22	16
TEX 250H	25	17
TEX 250H SCALER	26	17
TEX 300	ON REQUEST	
TEX 400H/HS	27	17
TEX 600H/700H/900H	29	17
TEX 1400H	30	18
TEX 1800H/2000H	31	18
BERCO		
BB42	12	15
BB52	13	15
BB62	14	15
BB70	15	15
BB80	16	15
BOBCAT		
B280	201	50
B300	191	48
B380	202	50
B500	192	48
B580	203	50
B680	204	50
B600/B700	193	48
B850/B950	194	48
B880	205	50
B980	206	51
B1180	207	51
1250	ON REQUEST	
B1200/B1400	196	49
1560	ON REQUEST	
1750	304	67
2500/2560/2570/3500/3560/3570	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
5500	ON REQUEST	
6560	ON REQUEST	
DAEMO		
DMB S150V	ON REQUEST	
DMB S500V	ON REQUEST	
DMB S900V	ON REQUEST	
DMB S1300V	ON REQUEST	
DMB S1800V / DMB S2000V	ON REQUEST	
DMB S2200, 2200 II, S2300V	ON REQUEST	
DMB S3000V / S3600V	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
CAT 140/B140S/H140AS	317	69
CAT H140CS,140DS	325	70
CAT 160/B160/H160AS	318	69
CAT H160CS,H160DS	327	71
CAT 170/B170/H170	319	69
CAT H180S	329	71
CAT H180DS	330	71
CAT 195/B195/H195	331	71
CAT H35DS	50	22
CAT H45DS	51	22
CAT H55DS	52	22
CAT H65DS	53	22
CAT H35ES	54	22
CAT H45ES	55	22
CAT H55ES	56	22
CAT H65ES	57	23
CAT H75ES	58	23
CAT H95ES	59	23
CAT H110ES	60	23
CAT H115ES	61	23
CAT H120ES	62	23
CAT H130ES	63	23
CAT H140ES	64	24
CAT H160ES	65	24
CAT H180ES	66	24

MACHINE
CP100 / RX2
CP150 / RX3
CP200 / RX4
CP300 / RX6
CP400 / CP550 / RX8 / RX11
CP750 / RX14
CP1150
CP1550 / CP1650 / RX22
CP2250 / RX29/RX30
RX38
CP2350
CP3050 / RX45 / RX46
CP4250 / RX53 / RX54

S80, 8V	ON REQUEST
S150, 200, 15V, 17V, 20V	ON REQUEST
S300, S500, 30V, 40V, 50V	ON REQUEST
S700, 70V	ON REQUEST
S1300, 130V	ON REQUEST
150V, 151V	ON REQUEST
180V, 1800	ON REQUEST
S2200, 200V, 220V	ON REQUEST
S3000, 300V	ON REQUEST
S3600, 360V	ON REQUEST
450V	ON REQUEST

DMB S150V	ON REQUEST
DMB S500V	ON REQUEST
DMB S900V	ON REQUEST
DMB S1300V	ON REQUEST
DMB S1800V / DMB S2000V	ON REQUEST
DMB S2200, 2200 II, S2300V	ON REQUEST
DMB S3000V / S3600V	ON REQUEST

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
DMB S5000V	ON REQUEST	
DMB50	ON REQUEST	
DMB90	ON REQUEST	
DMB140	ON REQUEST	
DMB180	ON REQUEST	
DMB210	ON REQUEST	
DMB230	ON REQUEST	
DMB300 / 360	ON REQUEST	
DAINONG (DNB)		
DNB K20	82	28
DNB K25	98	30
DNB K30	99	31
DNB K50	101	31
DNB K80 / 100	103	31
DNB K120	104	31
DNB D50	309	68
DNB D60	313	68
DNB D70 / 90	315	69
DNB D110	317	69
DNB D130	ON REQUEST	
DNB D160	319	69
DNB D20 IIS	ON REQUEST	
DNB D25 IIS	ON REQUEST	
DNB D60 IIS	ON REQUEST	
DNB D70 IIS / D90IIS	ON REQUEST	
DNB D110 IIS	ON REQUEST	
DNB D160 IIS	ON REQUEST	
DEHACO		
DBH15	393	81
DBH91	ON REQUEST	
DBH380	406	83
DBH450	ON REQUEST	
DHB 35	425	87
DHB 55	426	87
DHB 75	427	87
DHB165	428	87
DHB 305	430	87
DHB 405	431	88
DHB 805	432	88
DHB 1250	433	88
DHB 1305	434	88
DHB 1605 (1405)	435	88
DHB 2305	436	88
DHB 3205 (4105)	432	88
DHB100S	ON REQUEST	
DHB150S	ON REQUEST	
DHB200S	ON REQUEST	
DHB250S	ON REQUEST	
DHB300S	ON REQUEST	
DHB350S	ON REQUEST	
DHB400S	ON REQUEST	
DHB1000S	ON REQUEST	
DHB1500S / DHB120	102	31
DHB2000S	103	31
DHB3600S	104	31
DHB4200S	ON REQUEST	
DEMOTER (VISTIRINI)		
S65	ON REQUEST	
DM90, DM95E, S85	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
DM120, S130	ON REQUEST	
DM160, S170	ON REQUEST	
DM160RE	98	30
DM220 / 240, S230	ON REQUEST	
DM240RE	85	28
S300 / 360	ON REQUEST	
DM400S	ON REQUEST	
S430	167	43
S550	ON REQUEST	
S800	ON REQUEST	
DOOSAN		
DXB100H	221	53
DXB130H	222	53
DXB170H	223	53
DXB190H	224	54
DXB260H	225	54
DRAGO		
DRH50 / 60 / 70 / 80	409	84
DRH120	410	84
DRH150	411	84
DRH180 / 250	412	84
DRH280	413	85
DRH650S / 900	415	85
DRH1150S / 1600S	416	85
DRH1900	417	85
EURORAM / GLOBORAM / ROCKMASTER		
RM45	123	35
RM48	124	35
RM56	125	35
RM65	126	35
RM75	127	35
RM80	128	35
RM85 / 90	131	36
RM88	130	36
RM110	132	36
RM115	133	36
RM120	134	36
RM130	135	37
RM140	137	37
RM145	138	37
RM150	139	37
RM160	140	37
RM180	141	38
RM195	142	38
RM215	ON REQUEST	
EVERDIGM		
EHB08	67	25
EHB01 / EHB02	68	25
EHB03	69	25
EHB04	70	25
EHB05	71	25
EHB06	72	26
EHB10	73	25
EHB13	74	26
EHB17	75	26
EHB20	76	26
EHB25	77	27
EHB30	78	27

MACHINE	FIGURE NO.	PAGE NO.
EHB40	79	27
EHB50	80	27
FURUKAWA		
F1	81	28
F2	82	28
F3	83	28
F4	84	28
F5	85	28
F6	86	28
F9	87	29
F12	88	29
F19	89	29
F20 / F22	90	29
F27	91	29
F30 / F35	92	29
F45	93	30
F70	94	30
F100	95	30
FXJ / FX125	106	32
FXJ / FX175	107	32
FXJ / FX275	108	32
FXJ / FX375	109	32
FXJ / FX475	110	32
HB1G	96	30
HB2G	97	30
HB3G	98	30
HB5G	99	31
HB8G	100	31
HB10G	101	31
HB15G	102	31
HB20G	103	31
HB30G	104	31
HB40G	105	32
HB100G	95	30
HB100	ON REQUEST	
HB200	ON REQUEST	
HB400	ON REQUEST	
HB700	ON REQUEST	
HB1100 / 1300	ON REQUEST	
HB1200 / 1500	ON REQUEST	
HB1600 / 1800 / 2000	ON REQUEST	
HANWOO / RHINO / MAGNUM		
RHB 301-V / 302-V	111	33
RHB 302 / 303-V	112	33
RHB 303 / 303-VP	113	33
RHB 305 / 305-V	114	33
RHB 306	115	33
RHB 308	116	33
RHB 308-2 / 309	117	34
RHB 313-V / 314	118	34
RHB 320	119	34
RHB 322-2 / 323 / 325	120	34
RHB 328-2 / 330	121	34
RHB 340	122	34
RHB 350	ON REQUEST	
HUPPI		
HUPPI 52	407	84
HUPPI 72	408	84
HUPPI 92	ON REQUEST	

Demolition Tools Catalogue

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
HUPPI 102	410	84
HUPPI 102 (MK2)		ON REQUEST
HUPPI 302	412	84
HUPPI 402	413	85
HUPPI 902	415	85
HUPPI 1900 / 1902	420	86
HUSKY / JACTY		
HH100		ON REQUEST
HH150		ON REQUEST
HH300		ON REQUEST
HH500		ON REQUEST
HH750		ON REQUEST
HH1000		ON REQUEST
HH1500		ON REQUEST
HH2000		ON REQUEST
HH3600		ON REQUEST
HH4500		ON REQUEST
IDROMECCANICA		
IMI 85	183	47
IMI 88	368	77
IMI 260	185	47
IMI 600 / 605	186	47
IMI 1000 / 1010	187	47
IMI 1200	190	48
INAN MAKINA (MTB)		
MT 10		ON REQUEST
MT 15	409	84
MT 20		ON REQUEST
MT 25	241	57
MT 30		ON REQUEST
MT 35 / 36	242	57
MT 45	243	57
MT 120	246	57
MT 150	247	58
MT 170	248	58
MT 210	249	58
MT 275	250	58
MT 360	251	58
INDECO		
HB5	126	35
HB8	128	35
HB12	131	36
HB18		ON REQUEST
HB19	132	36
HB27	134	36
MES / UP 121 / 150P, HP150	123	35
MES / UP 180 / 181 / 200P, HP200	124	35
MES / UP 300 / 301 / 350P / 351P, HP300 / 350	125	35
MES / UP 451 / 452 / 462P / 521 / 550, HP500	126	35
MES / UP 553P, HP600	127	35
MES / UP 601 / 621 / 650P, HP700	129	36
UP 900, HP900	130	36
MES / UP 1200, HP1200	131	36
MES / UP 1500, HP1500	132	36
MES / UP 1750 / 1800, HP1800	133	36
MES / UP 2000, HP2000	134	36
MES / UP 2500, HP2500	135	37
HP2750	136	37

MACHINE	FIGURE NO.	PAGE NO.
MES / UP 3000, HP3000	137	37
MES / UP 3500, HP3500	138	37
MES / UP 4000 / 4001, HP4000	139	37
MES / UP 5000, HP5000	140	37
MES / UP 7000, HP7000	141	38
MES / UP 8500, HP9000	142	38
MES / UP 12000, HP12000		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
GK 85 / 86	143	39
GK 160 / 161	144	39
GK 211	145	39
GK 290 / 291	146	39
GK 360 / 361	147	39
GK 600 / 610 / 620	148	39
GK 950 / 960	149	40
GK 1050	150	40
GK 1350 / 1351	151	40
GK 1351S	152	40
GK 1600	153	40
GK 1800	154	40
GK 2300		ON REQUEST
GK 2400	155	41
GK 3400 / 3500	156	41
GK 3800	157	41
K 80	183	47
K 270	185	47
K 550	186	47
K 1000	187	47
K 1030	189	48
K 1300	190	48
K 1900		ON REQUEST
MK 95 / IM 12.S		ON REQUEST
MK 350 / IM 65 / 70		ON REQUEST
MK 650 / IM 100		ON REQUEST
MK 1300 / IM210		ON REQUEST
MK 1700		ON REQUEST
MK 2600		ON REQUEST
MK 3500		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
JB8		ON REQUEST
JB10		ON REQUEST
JB20		ON REQUEST
JB30		ON REQUEST
JB40		ON REQUEST
JB60		ON REQUEST
JB80		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
NJB202 / JB-1S		ON REQUEST
NJB203 / JB-3S		ON REQUEST
NJB206 / JB-6S		ON REQUEST
NJB212 / JB-12		ON REQUEST
NJB215 / JB-15		ON REQUEST
NJB221 / JB-21		ON REQUEST
NJB227 / JB-27		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
HM60		ON REQUEST
HM100 / 100Q / 115 (45)		ON REQUEST
HM140		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
HM160	304	67
HM165	21	16
HM260	306	67
HM265	22	16
HM360	308	67
HM385 / 386Q	23	16
HM460	309	68
HM480	186	47
HM495	27	17
HM550	310	68
HM560	313	68
HM630	189	48
HM660	314	68
HM690	210	51
HM760	315	69
HM850	311	68
HM860	34	18
HM960	318	69
HM1050	321	70
HM1150	320	69
HM1260 / HM1270Q	173	44
HM1350	314	68
HM1450	322	70
HM1560	39	19
HM1750	324	70
HM1760	40	19
HM2350	325	70
HM2460	42	20
HM2950	327	71
HM3060	36	19
HM3850	329	71
HM3950	330	71
HM4160	46	20

MACHINE	FIGURE NO.	PAGE NO.
JKHB 31	425	87
JKHB 51	426	87
JKHB 71	427	87
JKHB 101	428	87
JKHB 201	429	87
JKHB 301	430	87
JKHB 401	431	88
JKHB 801	432	88
JKHB 1101	433	88
JKHB 1401	434	88
JKHB 1500 / 1600	435	88
JKHB 2000	436	88
JKHB 3000	437	89

MACHINE	FIGURE NO.	PAGE NO.
KB555		ON REQUEST
KB999		ON REQUEST
KF1	81	28
KF2	82	28
KF3	83	28
KF4	84	28
KF5	85	28
KF6	86	28
KF9	87	29
KF12	88	29
KF19	89	29
KF22	90	29

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
KF27	91	29
KF35	92	29
KF45	93	30
KF70	94	30
KF100	95	30
KHB100	ON REQUEST	
KHB200	ON REQUEST	
KHB400	ON REQUEST	
KHB700	ON REQUEST	
KHB1100 / 1300	ON REQUEST	
KHB1200 / 1500	ON REQUEST	
KHB1G	96	30
KHB2G	97	30
KHB3G	98	30
KHB5G	99	31
KHB8G	100	31
KHB10G	101	31
KHB15G	102	31
KHB20G	103	31
KHB30G	104	31
KHB40G	105	32
KHB50G	ON REQUEST	

KOMAC		
KB100	ON REQUEST	
KB150	ON REQUEST	
KB200	ON REQUEST	
KB250	ON REQUEST	
KB300	ON REQUEST	
KB350	ON REQUEST	
KB400	ON REQUEST	
KB1000	ON REQUEST	
KB1500	ON REQUEST	
KB2000	ON REQUEST	
KB3600	ON REQUEST	
KB4200	ON REQUEST	
TOR13	ON REQUEST	
TOR22 / 23	ON REQUEST	

KOMATSU		
JTHB08	407	84
JTHB10	408	84
JTHB20	409	84
JTHB30	410	84
JTHB40	411	84
JTHB50	412	84
JTHB60 / 65	413	85
JTHB70	ON REQUEST	
JTHB100	415	85
JTHB150	420	86
JTHB190	421	86
JTHB230	422	86
JTHB310	423	86
JTHB400	424	86
JKHB31	425	87
JKHB51	426	87
JKHB71	427	87
JKHB101	428	87
JKHB301	430	87
JKHB401	431	88
JKHB801	432	88
JKHB1101	433	88

MACHINE	FIGURE NO.	PAGE NO.
JKHB1401	434	88
JKHB1600	435	88
JKHB2000	436	88
JKHB3000	437	89

KRUPP (SEE ALSO ATLAS COPCO)		
HM45	158	42
HM50 / 55	159	42
HM60V	160	42
HM60 / 61 / 62 / 75	161	42
HM85 / 90 / 90V	162	42
HM100 / 110	ON REQUEST	
HM130 / 135 / 140 / 140V	163	42
HM170 / 185 / 190 / 190V	164	43
HM200	165	43
HM220 / 230	166	43
HM300 / 301 / 305	167	43
HM350 / 350V / MB500	168	43
HM400 / 401	ON REQUEST	
HM550 / 551 / 555 / 560CS / V	169	43
HM580 / MB700	170	44
HM600 / 601	171	44
HM700 / 701 / 702 / 705 / 706	172	44
HM710 / 711 / 712 / 715 / 720CS / V	173	44
HM780 / MB1200	174	44
HM800	ON REQUEST	
HM900 / 901 / 902	ON REQUEST	
HM950 / 951 / 952 / 957 / 960CS / V	175	44
HM1000V / MB1700	176	45
HM1200 / 1201 / 1205	ON REQUEST	
HM1300 / 1301 / 1305	ON REQUEST	
HM1500MV / HB2200	177	45
HM2000MV	178	45
HM2100 / 2300 / HB3000	179	45
HM2500MV / 2600 / HB4200	180	45
HM3000 / HB5800	181	45
HM4000 / HB7000	182	46

KUBOTA		
KM10	17	15
KM100	19	16
KM150	21	16
KM200	22	16
KM300	23	16
KM450	27	17
KXB 310	335	72
KXB 300 / 350	303	67
KXB 360	336	72
KXB 400 / BTB400	338	72
KXB 450	340	73
KXB 460	339	72
KXB 500	343	73
KXB 600	345	73

LIFTON		
LH70 / LH80	ON REQUEST	
LH110	ON REQUEST	
LH200	ON REQUEST	
LH170/300	ON REQUEST	
LH360	ON REQUEST	
LH500	ON REQUEST	
LH1000	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
MONTABERT		
BRH40	183	47
BRH75 / 76 / 90 / 91	184	47
BRH125	185	47
BRH250 / 270	186	47

BRH501 / 570	187	47
BRH620	188	47
BRH625 / 900	189	48
BRH750	190	48
BRH1100	ON REQUEST	
M30 (BRP30)	191	48
M50 (BRP45 / 50)	192	48
M70 (BRP60 / 70)	193	48
M85 / 95 / 100 (BRP85 / 95 / 100)	194	48
M125SX	195	49
M140 / 150 (BRP130 / 140 / 150)	196	49
M300	197	49
M600	198	49
M700	199	49
M900	200	49
SC06	201	50
SC08	202	50
SC12	203	50
SC16	204	50
SC22	205	50
SC28	206	51
SC36	207	51
SC42	208	51
SC50	209	51
V32 (BRV32)	210	51
V43 (BRV43)	211	51
V45 (BRV45)	212	52
V52 (BRV52)	ON REQUEST	
V53 (BRV53)	213	52
V55 (BRV55)	214	52
V65 (BRV65)	215	52
V1200 / V32	210	51
V1600	216	52
V1800	217	52
V2500	218	53
V3500	219	53
V4500	220	53
Z92 / Z91	ON REQUEST	
Z96	ON REQUEST	
(BLUE LINE)		
XL1000	221	53
XL1300	222	53
XL1700	223	53
XL1900	224	54
XL2600	225	54

MSB		
SAGA 20II	226	55
SAGA 30II	227	55
SAGA 40II	228	55
SAGA 50	229	55
SAGA 80 / 81	230	55
SAGA 100	231	55
SAGA 120	232	55
SAGA 180	233	56
SAGA 200II / 220	234	56

Demolition Tools Catalogue

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
SAGA 300	235	56
SAGA 350	236	56
MS 35AT	237	56
MS 45AT	238	56
MS 75AT	239	56
SAGA 1000		ON REQUEST
SAGA 1500		ON REQUEST
SAGA 2000		ON REQUEST
MS200	240	57
MS220 / MS230H	241	57
MS225 / MS250H	242	57
MS300H	243	57
MS400H	244	57
MS450H / MS460H	245	57
MS500H / MS520H	246	57
MS550H	247	58
MS600	248	58
MS700	249	58
MS800 / MS810H	250	58
MS900	251	58
MS1000H	252	58

MTB

MT10		ON REQUEST
MT15	409	84
MT20 / MT21		ON REQUEST
MT25	241	57
MT30		ON REQUEST
MT35 / 36	242	57
MT45	243	57
MT65		ON REQUEST
MT85		ON REQUEST
MT120	246	57
MT150	247	58
MT170	248	58
MT210	249	58
MT250		ON REQUEST
MT255		ON REQUEST
MT270 / 275	250	58
MT360	251	58

NPK

E-12X	270	61
E-15X	272	61
E-18X	274	62
E-24X	276	62
E106	253	59
E-200 / GH06	254	59
E-201 / GH07	255	59
E-202 / GH1	256	59
E-203 / GH2	257	59
E-204 / GH3	258	59
E-205 / GH4	259	59
E-206	260	60
E-207 / GH6	261	60
E-208A	262	60
GH7	263	60
GH9	264	60
GH10	265	60
GH12	266	60
GH15	267	61
GH18	268	61

MACHINE	FIGURE NO.	PAGE NO.
E-210A	269	61
E-212	270	61
E-213	271	61
E-215	272	61
E-216	273	61
E-218	274	62
E-220	275	62
E-224	276	62
E-225	277	62
E-235	278	62
E-240A	279	62
H-06X	280	62
H-08XA	281	63
H-1XA	282	63
H-2XA / H-2XE	283	63
H-3XA / H-3XE	284	63
H-4X	285	63
H-6XA	286	63
H-7XA	287	63
H-8XA	288	64
H-10XB / E / GH9	289	64
H-12X / E	290	64
H-16X / E	291	64
H-20X / E	292	64

O&K

H32	304	67
H45	305	67
H65	306	67
H85	308	67
H120	310	68
H150	311	68
H200	321	70
H260	323	70
H310	324	70
H380	325	70
H530	327	71
H700	330	71

OCM

OCM8	183	47
OCM25	185	47
OCM55	186	47
OCM100	187	47
OCM130	189	48

OKADA

OKB / UB 301		ON REQUEST
OKB / UB 301SL		ON REQUEST
OKB / UB 302		ON REQUEST
OKB / UB 302A		ON REQUEST
OKB / UB 303A		ON REQUEST
OKB / UB 304		ON REQUEST
OKB / UB 304B		ON REQUEST
OKB / UB 305		ON REQUEST
OKB / UB 306		ON REQUEST
OKB / UB 308		ON REQUEST
OKB / UB 310		ON REQUEST
OKB / UB 312A		ON REQUEST
OKB / UB 312B		ON REQUEST
OKB / UB 316		ON REQUEST
OKB / UB 318		ON REQUEST

MACHINE	FIGURE NO.	PAGE NO.
OKB / UB 324		ON REQUEST
TOP200		ON REQUEST
TOP205 / 210		ON REQUEST
TOP300		ON REQUEST
UB2		ON REQUEST
UB4		ON REQUEST
UB5		ON REQUEST
UB8		ON REQUEST
UB11		ON REQUEST
UB14		ON REQUEST
UB17 / OKB17A2		ON REQUEST
HB360A		ON REQUEST

OMAL

OMAL 80	183	47
OMAL 86		ON REQUEST
OMAL 80S	367	77
OMAL 180 / 190 / 190S		ON REQUEST
OMAL 235 / 270 / 270S / 276	185	47
OMAL 500 / 550	186	47
OMAL 1000 / 1050	187	47
OMAL 1300	134	36
OMAL 1700		ON REQUEST

OMD

OMD 20	183	47
OMD 30	185	47
OMD 50	186	47
OMD 100	187	47
OMD 2000	190	48

PEL-JOB

MH90	367	77
MH95	368	77
MH180	370	77

PRODEM

PRB008	67	25
PRB010	68	25
PRB030	69	25
PRB040	70	25
PRB050	71	25
PRB060	72	26
PRB090		ON REQUEST
PRB100	73	26
PRB130	74	26
PRB170	75	26
PRB200	76	26
PRB250	77	27
PRB300	78	27
PRB400	79	27
PRB500	80	27

PROMOVE

P4		ON REQUEST
P6 / SH		ON REQUEST
P22	189	48
P23	133	36
PMV90 / P3SH	183	47
PMV290 / 390 / P12SH	185	47
PMV690 / P16SH	186	47
PMV1000 / P23SH	187	47
PMV1390 / P27SH	190	48

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
XP100	293	65
XP101	12	15
XP150	294	65
XP250	295	65
XP300 / XP400 / XP450	296	65
XP550 / XP551	297	65
XP800	298	65
XP1200	299	65
XP1500	300	66
XP2400	301	66
XP4500	302	66
RAMMER / SANDVIK		
E63	320	69
E64	321	70
E65	322	70
E66 / S55	323	70
E68	324	70
G80	325	70
G88	326	70
G90	327	71
G99	328	71
G100	329	71
G110	330	71
G120	331	71
G130	332	71
S18 / PICCOLO	303	67
S21	304	67
S22	305	67
S23	306	67
S24	307	67
S25	308	67
S26	309	68
S27	310	68
S29	311	68
S52	312	68
S54	313	68
S55 / E66	314	68
S56	315	69
S82	316	69
S83	317	69
S84	318	69
S86	319	69
M14	333	72
M18	334	72
BR111	335	72
BR222	336	72
BR255	337	72
BR321	338	72
BR333	339	72
BR355	51	22
BR422	340	73
BR455	341	73
BR555	342	73
BR623	343	73
BR777	344	73
BR825	345	73
BR927	346	73
BR999	347	74
BR1129	348	74
BR1533	349	74

MACHINE	FIGURE NO.	PAGE NO.
BR2063	350	74
BR2064	351	74
BR2155	352	74
BR2214	353	74
BR2265	354	75
BR2266	355	75
BR2568	356	59
BR2577	357	59
BR2518	358	75
BR3088 / 3288	359	75
BR3890	360	76
BR4099	361	76
BR4510	362	76
BR4511	363	76
BR5011	364	76
BR7013	365	76
ROBI		
MH7	335	72
MH11	336	72
MH15	339	72
BH30	306	67
BH50	308	67
BH80	311	68
EH170	357	75
EH240	359	75
ROTAIR		
OL50	366	77
OL90 (WITH COLLAR)	367	77
OL90 / 95	368	77
OL130 / 160	369	77
OL180 / 260	370	77
OL250 / 330	371	77
SANDHURST		
SMC XT70	12	15
SMC XT100	13	15
SMC XT200	14	15
SMC XT300	15	15
SMC XT400	16	15
SMC		
SMC TF-14BA	ON REQUEST	
SMC 1000	ON REQUEST	
SMC 1400	ON REQUEST	
SMC 1500	ON REQUEST	
SMC 2000	ON REQUEST	
SMC 3000	ON REQUEST	
SMC XE4500	ON REQUEST	
SMC XE3500	ON REQUEST	
SOCOMECA		
DMS 50	372	78
DMS 95 / 95-2 / MDO 55	373	78
DMS 150 / 160 / 165 MDO 80	374	78
DMS 210	375	78
DMS 220 / MDO 100	376	78
DMS 270	377	78
DMS 310 / 330 / MDO 250 / 260	378	79
MDO 300	379	79
DMS 410	380	79
DMS 430 / MDO 450	381	79

MACHINE	FIGURE NO.	PAGE NO.
MDO 500	382	79
MDO 550	384	79
DMS 680 / 740 / 850 / 910	383	79
MDO 750	385	80
MDO 900V	386	80
MDO 1450	387	80
MDO 1950	388	80
MDO 2050	389	80
MDO 3200 / MDO 3000	390	80
MDO 4000	391	80
SOOSAN		
SB10	392	81
SB20	393	81
SB30	394	81
SB35	395	81
SB40 / SB4	396	81
SB43	397	81
SB45 / SB5	398	82
SB50	399	82
SB60	400	82
SB70 / SB71	401	82
SB80	ON REQUEST	
SB81	402	82
SB100	403	82
SB121 / 120A	404	83
SB130 / 140	405	83
SB151	406	83
STANLEY		
MB 105	ON REQUEST	
MB 125	ON REQUEST	
MB 156	ON REQUEST	
MB 250 / 256 / 350 / 356	ON REQUEST	
MB 506	ON REQUEST	
MB 550	ON REQUEST	
MB 656 / 675 / 695	ON REQUEST	
MB 800 / 856	ON REQUEST	
MB 1550	ON REQUEST	
MB 1950 / 1975	ON REQUEST	
MB 2850	ON REQUEST	
MB 2950 / 2975	ON REQUEST	
MB 5950	ON REQUEST	
MB20EX	ON REQUEST	
MB30EX	ON REQUEST	
MB40EX	ON REQUEST	
MB50EX	ON REQUEST	
MB70EX	ON REQUEST	
MB80EX	ON REQUEST	
MB100EX	ON REQUEST	
STAR		
SH40	183	47
SH91	143	39
SH151 / 161	144	39
SH200	145	39
SH280	185	47
SH281	146	39
SH560	186	47
SH561 / 562	148	39
SH990	187	47
SH991	149	40

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
11

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



**THOMAS
TURTON**

PAGE
12

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
SH992	150	40
SH1200	189	48
SH1400	190	48
SH1401	151	40
SH1402	152	40
SH2000		ON REQUEST

STELCO

SEL110	ON REQUEST
SEL150	ON REQUEST
SEL 220	ON REQUEST
SEL 350	ON REQUEST

TABE

AGB 100 / 175 / 200	ON REQUEST
AGB 175	ON REQUEST
AGB 270 / 275 / 350 / 370 / 375	ON REQUEST
AGB 95	ON REQUEST
AGB 400 / 475	ON REQUEST
AGB 700 / 701 / 750	ON REQUEST
AGB 1000 / 1300 / 1301	ON REQUEST
AGB 1600 / 1620	ON REQUEST
AGB 1800	ON REQUEST
AGB 30	ON REQUEST

TAKEUCHI

TKB-31	425	87
TKB-51	426	87
TKB-71	427	87
TKB-101	428	87
TKB-201	429	87
TKB-301	430	87
TKB-401	431	88
TKB-801	432	88
TKB-1101	433	88
TKB-1401	434	88
TKB-1600	435	88
TKB-2000	436	88
TKB-3000	437	89

TELEDYNE

TB120 / 125	409	84
TB180 / 225	410	84
TB275 / TB285	411	84
TB220 / 325	412	84
TB400 / 425 / 625	413	85
TB700 / 725 / 750 / 825	415	85
TB830	419	86
TB900 / 925 / 975 / 1000 / 1025	416	85
TB980	420	86
TB1300 / 1425	417	85
TB1680	422	86
TB1825 / 2075	418	85
TB2080	423	86
TB2580	424	86

TOKU (BTI)

TNB 08M	407	84
TNB 08E / 1M	408	84
TNB 1E / 2M	409	84
TNB 2E / 3M	410	84
TNB 3E / 4M	411	84
TNB 4E / 5M	412	84

MACHINE	FIGURE NO.	PAGE NO.
---------	------------	----------

TNB 6E / 6.5E / 7M	413	85
TNB 7J	414	85
TNB 7E / 10E	415	85
TNB 14E / 16E	416	85
TNB 22E / 23E	417	85
TNB 31E / 30E	418	85
TNB 100	419	86
TNB 150 / 151	420	86
TNB 190	421	86
TNB 230	422	86
TNB 310	423	86
TNB 400	424	86

MACHINE	FIGURE NO.	PAGE NO.
---------	------------	----------

HB3800	330	71
WIMMER		
W-220	241	57
W-330	243	57
W-440	244	57
W-550	246	57
W-600	247	58
W-660	248	58
W-770	249	58
W-880	250	58
W-990	251	58

TOPA

TOPA 70	ON REQUEST
TOPA 100	ON REQUEST
TOPA 200	ON REQUEST
TOPA 300	ON REQUEST
TOPA 500	ON REQUEST
TOPA 1000	ON REQUEST
TOPA 1400	ON REQUEST
TOPA 1500	ON REQUEST
TOPA 2000	ON REQUEST

TOYO


THBB 31	425	87
THBB 51	426	87
THBB 71	427	87
THBB 101	428	87
THBB 201	429	87
THBB 301	430	87
THBB 401	431	88
THBB 801	432	88
THBB 1101	433	88
THBB 1401	434	88
THBB 1600	435	88
THBB 2000	436	88
THBB 3000	437	89

VISTARINI (SEE DEMOTER)


VH60	ON REQUEST
VH90	ON REQUEST
VH120	ON REQUEST
VH150	ON REQUEST
VH160 / 200	ON REQUEST
VH220 / 300 / 330	ON REQUEST
VH382	ON REQUEST
VH440	ON REQUEST

VOLVO


HB80	303	67
HB130	304	67
HB200	305	67
HB300	306	67
HB440	308	67
HB600	310	68
HB800	311	68
HB1100	320	69
HB1400	322	70
HB1700	324	70
HB2400	325	70
HB3200	327	71

ARROWHEAD**FIGURE 1**
ARROWHEAD S10


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	AH17P0450	4.2
Chisel	40	450	AH17C0450	4.2

FIGURE 2
ARROWHEAD S20


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	AH10P0480	5.7
Chisel	45	480	AH10C0480	5.7

FIGURE 3
ARROWHEAD S30 (MK1 WITH COLLAR)


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	500	AH11P0500	6.0
Chisel	45	500	AH11C0500	6.0

FIGURE 4
ARROWHEAD S30 (MK3)


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	500	AH12P0500	8.3
Chisel	53	500	AH12C0500	8.3

FIGURE 5
ARROWHEAD S40

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	620	AH12P0620	15.4
Chisel	65	620	AH12C0620	15.4

FIGURE 6
ARROWHEAD S50

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	690	AH13P0690	19.9
Chisel	70	690	AH13C0690	19.9

FIGURE 7
ARROWHEAD S60

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	710	AH14P0710	23.5
Chisel	75	710	AH14C0710	23.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
13


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

Demolition Tools Catalogue
ARROWHEAD

FIGURE 8


ARROWHEAD S100 / 10T



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	950	AH16P0950	50.5
Chisel	95	950	AH16C0950	50.5

FIGURE 9


ARROWHEAD S130



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	103	1000	AH23P1000	62.5
Chisel	103	1000	AH23C1000	62.5

FIGURE 10


ARROWHEAD S180



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	113	1000	AH19P1000	75.2
Chisel	113	1000	AH19C1000	75.2

FIGURE 11

ARROWHEAD S230



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	133	1200	AH18P1200	125.0
Chisel	133	1200	AH18C1200	125.0


**THOMAS
TURTON**

PAGE
14

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

ATLAS COPCO PB110


ALLIED AS342 | BERCY BB42 | CHICAGO PNEUMATIC (CP) CP100 / RX2 | PROMOVE XP101 | SANDHURST SMC XT70

**FIGURE 12**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	470	KR41P0470	4.9
Chisel	42	470	KR41C0470	4.9

ATLAS COPCO PB160


ALLIED AS352 | BERCY BB52 | CHICAGO PNEUMATIC (CP) CP150 / RX3 | SANDHURST SMC XT100

**FIGURE 13**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	52	600	KR42P0600	9.6
Chisel	52	600	KR42C0600	9.6

ATLAS COPCO PB210


ALLIED AS362 | BERCY BB62 | CHICAGO PNEUMATIC (CP) CP200 / RX4 | SANDHURST SMC XT200

**FIGURE 14**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	700	KR43P0700	15.8
Chisel	62	700	KR43C0700	15.8

ATLAS COPCO PB310


ALLIED AS370 | BERCY BB70 | CHICAGO PNEUMATIC (CP) CP300 / RX6 | SANDHURST SMC XT300

**FIGURE 15**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	750	KR44P0750	21.6
Chisel	70	750	KR44C0750	21.6

**ATLAS COPCO PB420**


ALLIED AS380 | ATLAS COPCO 530 | BERCY BB80 | CHICAGO PNEUMATIC (CP) CP400 / CP550 / RX8 / RX11 | SANDHURST SMC XT400

**FIGURE 16**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR34P0900	33.9
Chisel	80	900	KR34C0900	33.9

**ATLAS COPCO SB50**

ATLAS COPCO SBC 60 | ATLAS COPCO TEX 30 | BROKK 40 | KUBOTA KM10

**FIGURE 17**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	32	430	AC21P0430	2.6
Chisel	32	430	AC21C0430	2.6

Demolition Tools Catalogue
ATLAS COPCO

FIGURE 18

ATLAS COPCO SB52

BROKK 50




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	420	AC26P0420	2.6
Chisel	40	420	AC26C0420	2.6

FIGURE 19

ATLAS COPCO SB100


ATLAS COPCO SB100 / SBC 115 | ATLAS COPCO TEX 100H / 75H | KUBOTA KM100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	550	AC10P0550	6.6
Chisel	45	550	AC10C0550	6.6

FIGURE 20

ATLAS COPCO SB102




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	550	AC25P0550	6.6
Chisel	45	550	AC25C0550	6.6

FIGURE 21

ATLAS COPCO SB150 / 152

SBC 255 | ATLAS COPCO TEX 110H | BROKK 90 | JCB HM165 | KUBOTA KM150




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	550	AC17P0550	8.1
Chisel	50	550	AC17C0550	8.1

FIGURE 22

ATLAS COPCO SB200 / SB202

SBC 410 | ATLAS COPCO TEX 180H | BROKK 160 / 180 | JCB HM265 | KUBOTA KM200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	600	AC18P0600	14.9
Chisel	65	600	AC18C0600	14.9


FIGURE 23

ATLAS COPCO SB300 / SB302


SBC 610 / SBC650 | BROKK 250 / 260 | JCB HM385 / 386Q | KUBOTA KM300




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	800	AC22P0800	30.1
Chisel	80	800	AC22C0800	30.1
Blunt	80	800	AC22B0800	30.1

ATLAS COPCO SB300 SCALER**FIGURE 24**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Blunt	80	800	AC23B0800	32

ATLAS COPCO TEX 250H**FIGURE 25**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	800	AC12P0800	30.1
Chisel	80	800	AC12C0800	30.1

ATLAS COPCO TEX 250H SCALER**FIGURE 26**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Blunt	80	800	AC12B0800	32

ATLAS COPCO SB450 / SB452


ATLAS COPCO SBC 800 / 850 | ATLAS COPCO TEX 400H / HS | BROKK 330 | JCB HM495 | KUBOTA KM450

**FIGURE 27**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	840	AC20P0840	44.6
Chisel	95	840	AC20C0840	44.6
Blunt	95	840	AC20B0840	44.6

**ATLAS COPCO SB552**


BROKK 400

**FIGURE 28**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	AC28P1000	58.9
Chisel	100	1000	AC28C1000	58.9
Blunt	100	900	AC28B0900	53.0

**ATLAS COPCO SB702 / HBC1100 / 1700**

ATLAS COPCO TEX 600H / 700H / 900H

**FIGURE 29**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	900	AC14P0900	58.4
Chisel	105	900	AC14C0900	58.4
Blunt	105	900	AC14B0900	58.4

Demolition Tools Catalogue
ATLAS COPCO

FIGURE 30

ATLAS COPCO HBC2500

ATLAS COPCO TEX 1400H




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1000	AC15P1000	92.0
Chisel	125	1000	AC15C1000	92.0
Blunt	125	1000	AC15B1000	92.0

FIGURE 31

ATLAS COPCO HBC4000

ATLAS COPCO TEX 1800H / 2000H | CHICAGO PNEUMATIC (CP) CP2350



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	AC16P1100	118.0
Chisel	135	1100	AC16C1100	118.0

FIGURE 32


ATLAS COPCO HBC6000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	AC29P1500	255.2
Chisel	170	1500	AC29C1500	255.2
Blunt	170	1500	AC29B1500	255.2

FIGURE 33


ATLAS COPCO MB500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	900	KR32P0900	42.9
Chisel	90	900	KR32C0900	42.9

FIGURE 34


ATLAS COPCO MB700 / MB800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR38P1000	58.9
Chisel	100	1000	KR38C1000	58.9
Blunt	100	1000	KR38B1000	58.9

FIGURE 35

ATLAS COPCO MB750



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	AC33P1000	58.9
Chisel	100	1000	AC33C1000	58.9
Blunt	100	1000	AC33B1000	58.9

ATLAS COPCO MB1000

BROKK 800 | JCB HM3060




FIGURE 36

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1050	AC24P1050	74.8
Chisel	110	1050	AC24C1050	74.8
Blunt	110	1050	AC24B1050	74.8

ATLAS COPCO MB1200




FIGURE 37

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	KR39P1150	97.5
Chisel	120	1150	KR39C1150	97.5
Blunt	120	1150	KR39B1150	97.5

ATLAS COPCO MB1500




FIGURE 38

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1175	AC32P1175	126.1
Chisel	135	1175	AC32C1175	126.1
Blunt	135	1175	AC32B1175	126.1

ATLAS COPCO MB1600

JCB HM1560




FIGURE 39

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1150	KR25P1150	123.4
Chisel	135	1150	KR25C1150	123.4
Blunt	135	1150	KR25B1150	123.4

ATLAS COPCO MB1700

JCB HM1760




FIGURE 40

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	KR37P1200	138.5
Chisel	140	1200	KR37C1200	138.5
Blunt	140	1200	KR37B1200	138.5

ATLAS COPCO HB2000




FIGURE 41

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	145	1250	AC38P1250	154.7
Chisel	145	1250	AC38C1250	154.7
Blunt	145	1100	AC38B1100	136.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
19

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.




Demolition Tools Catalogue
ATLAS COPCO

FIGURE 42

ATLAS COPCO HB2200

JCB HM2460




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	KR28P1300	172.2
Chisel	150	1300	KR28C1300	172.2
Blunt	150	1150	KR28B1150	152.3

FIGURE 43

ATLAS COPCO HB2500

CHICAGO PNEUMATIC (CP) RX38




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1150	AC30P1150	162.7
Point	155	1300	AC30P1300	183.9
Chisel	155	1150	AC30C1150	162.7
Chisel	155	1300	AC30C1300	183.9
Blunt	155	1150	AC30B1150	162.7

FIGURE 44

ATLAS COPCO HB3000 / HB3100


CHICAGO PNEUMATIC (CP) CP3050 / RX45 / RX46 | ALLIED HY-RAM 797 | (SEE ALSO KRUPP)
HM2100 / 2300 / HB3000 | JCB HM3060



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1300	KR40P1300	208.4
Point	165	1500	KR40P1500	240.4
Chisel	165	1300	KR40C1300	208.4
Chisel	165	1500	KR40C1500	240.4
Blunt	165	1300	KR40B1300	208.4

FIGURE 45

ATLAS COPCO HB3600




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1300	AC34P1300	221.2
Point	170	1500	AC34P1500	255.2
Chisel	170	1300	AC34C1300	221.2
Chisel	170	1500	AC34C1500	255.2
Blunt	170	1300	AC34B1300	221.2

FIGURE 46

ATLAS COPCO HB4200

CHICAGO PNEUMATIC (CP) CP4250 / RX53 / RX54 | JCB HM4160



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	KR30P1500	286.1
Chisel	180	1500	KR30C1500	286.1
Blunt	180	1350	KR30B1350	257.5

ATLAS COPCO HB4700




FIGURE 47

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	189	1400	AC35P1400	294.4
Point	189	1600	AC35P1600	336.5
Chisel	189	1400	AC35C1400	294.4
Chisel	189	1600	AC35C1600	336.5
Blunt	189	1400	AC35B1400	294.4

ATLAS COPCO HB5800




FIGURE 48

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	200	1500	KR46P1500	353.3
Point	200	1700	KR46P1700	400.4
Chisel	200	1500	KR46C1500	353.3
Chisel	200	1700	KR46C1700	400.4
Blunt	200	1500	KR46B1500	353.3

ATLAS COPCO HB7000




FIGURE 49

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1800	KR33P1800	467.3
Chisel	210	1800	KR33C1800	467.3
Blunt	210	1600	KR33B1600	415.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
 YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
21



Demolition Tools Catalogue
CATERPILLAR

FIGURE 50

CATERPILLAR H35DS




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	380	CT10P0380	3.6
Chisel	40	380	CT10C0380	3.6

FIGURE 51

CATERPILLAR H45DS


RAMMER / SANDVIK BR355



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	500	CT20P0500	6.8
Chisel	48	500	CT20C0500	6.8

FIGURE 52


CATERPILLAR H55DS



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	560	CT30P0560	10.3
Chisel	56	560	CT30C0560	10.3

FIGURE 53


CATERPILLAR H65DS



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	585	CT31P0585	14.6
Chisel	65	585	CT31C0585	14.6

FIGURE 54


CATERPILLAR H35ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	400	CT21P0400	3.8
Chisel	40	400	CT21C0400	3.8

FIGURE 55


CATERPILLAR H45ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	475	CT22P0475	7.0
Chisel	50	475	CT22C0475	7.0

FIGURE 56

CATERPILLAR H55ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	550	CT23P0550	10.9
Chisel	58	550	CT23C0550	10.9

CATERPILLAR H65ES




FIGURE 57

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	650	CT24P0650	17.7
Chisel	68	650	CT24C0650	17.7

CATERPILLAR H75ES




FIGURE 58

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	700	CT36P0700	22.9
Chisel	75	700	CT36C0700	22.9

CATERPILLAR H95ES



FIGURE 59

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	88	800	CT40P0800	36.1
Chisel	88	800	CT40C0800	36.1

CATERPILLAR H110ES



FIGURE 60

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	890	CT32P890	51.9
Chisel	100	890	CT32C890	51.9
Blunt	100	890	CT32B890	51.9

CATERPILLAR H115ES



FIGURE 61

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	980	CT33P0980	69.2
Chisel	110	980	CT33C0980	69.2
Blunt	110	980	CT33B0980	69.2

CATERPILLAR H120ES



FIGURE 62

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1075	CT34P1075	90.4
Chisel	120	1075	CT34C1075	90.4
Blunt	120	1075	CT34B1075	90.4

CATERPILLAR H130ES



FIGURE 63

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1150	CT35P1150	114.4
Chisel	130	1150	CT35C1150	114.4
Blunt	130	1150	CT35B1150	114.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
23

Demolition Tools Catalogue
CATERPILLAR

FIGURE 64

CATERPILLAR H140ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	CT38P1200	138.5
Chisel	140	1200	CT38C1200	138.5
Blunt	140	1200	CT38B1200	138.5

FIGURE 65

CATERPILLAR H160ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	CT37P1400	211.0
Chisel	160	1400	CT37C1400	211.0
Blunt	160	1400	CT37B1400	211.0

FIGURE 66

CATERPILLAR H180ES



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	CT39P1500	286.1
Chisel	180	1500	CT39C1500	286.1
Blunt	180	1500	CT39B1500	286.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
24

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

EVERDGM EHB008

PRODEM PRB008




FIGURE 67

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	430	ED10P0430	4.5
Chisel	42	430	ED10C0430	4.5

EVERDGM EHB01 / EHB02

PRODEM PRB010




FIGURE 68

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	ED11P0450	5.7
Chisel	45	480	ED11C0450	5.7

EVERDGM EHB03

PRODEM PRB030




FIGURE 69

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	ED12P0500	7.4
Chisel	50	500	ED12C0500	7.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

EVERDGM EHB04

PRODEM PRB040




FIGURE 70

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	600	ED13P0600	11.9
Chisel	58	600	ED13C0600	11.9



EVERDGM EHB05

PRODEM PRB050




FIGURE 71

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	750	ED16P0750	20.4
Chisel	68	750	ED16C0750	20.4


PAGE
25

Demolition Tools Catalogue
EVERDIGM

FIGURE 72

EVERDIGM EHB06

PRODEM PRB060




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	850	ED24P0850	32.0
Chisel	80	850	ED24C0850	32.0

FIGURE 73

EVERDIGM EHB10

PRODEM PRB100




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	93	900	ED16P0900	45.8
Chisel	93	900	ED16C0900	45.8

FIGURE 74

EVERDIGM EHB13

PRODEM PRB130




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	ED14P1050	68.2
Chisel	105	1050	ED14C1050	68.2
Blunt	105	1050	ED14B1050	68.2

FIGURE 75

EVERDIGM EHB17

PRODEM PRB170




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1100	ED15P1100	88.7
Chisel	116	1100	ED15C1100	88.7
Blunt	116	1100	ED15B1100	88.7

FIGURE 76

EVERDIGM EHB20

PRODEM PRB200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	124	1150	ED18P1150	104.1
Chisel	124	1150	ED18C1150	104.1
Blunt	124	1150	ED18B1150	104.1

EVERDGM EHB25

PRODEM PRB250




FIGURE 77

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1200	ED20P1200	126.9
Chisel	134	1200	ED20C1200	126.9
Blunt	134	1200	ED20B1200	126.9

EVERDGM EHB30

PRODEM PRB300




FIGURE 78

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	149	1300	ED21P1300	169.9
Chisel	149	1300	ED21C1300	169.9
Blunt	149	1300	ED21B1300	169.9

EVERDGM EHB40

PRODEM PRB400 | SMC 3500




FIGURE 79

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	164	1450	ED22P1450	229.6
Chisel	164	1450	ED22C1450	229.6
Blunt	164	1450	ED22B1450	229.6

EVERDGM EHB50

PRODEM PRB500




FIGURE 80

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	179	1600	ED23P1600	305.2
Chisel	179	1600	ED23C1600	305.2
Blunt	179	1600	ED23B1600	305.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
27

Demolition Tools Catalogue
FURUKAWA

FIGURE 81

FURUKAWA F1 / HB1G / FX15

KENT KF1




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

FIGURE 82

FURUKAWA F2 / HB2G / FX25

DAINONG (DNB) DNB K20 | KENT KF2



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	FU22P0450	5.4
Chisel	45	450	FU22C0450	5.4

FIGURE 83

FURUKAWA F3 / FX35

KENT KF3



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	52	525	FU32P0525	8.4
Chisel	52	525	FU32C0525	8.4

FIGURE 84

FURUKAWA F4 / FX45

KENT KF4




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	560	FU33P0560	11.9
Chisel	60	560	FU33C0560	11.9

FIGURE 85

FURUKAWA F5 / FX55

DEMOTER (VISTIRINI) DM240RE | KENT KF5



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	600	FU34P0610	16.3
Chisel	68	600	FU34C0600	16.3

FIGURE 86

FURUKAWA F6

KENT KF6



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	730	FU35P0730	24.2
Chisel	75	730	FU35C0730	24.2

FURUKAWA F9

KENT KF9




FIGURE 87

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	FU37P0850	40.5
Chisel	90	850	FU37C0850	40.5

FURUKAWA F12

KENT KF12




FIGURE 88

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1100	FU38P1100	71.4
Chisel	105	1100	FU38C1100	71.4
Blunt	105	1100	FU38B1100	71.4

FURUKAWA F19

KENT KF19




FIGURE 89

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1200	FU39P1200	101.7
Chisel	120	1200	FU39C1200	101.7
Blunt	120	1200	FU39B1200	101.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
29

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FURUKAWA F22

FURUKAWA F20 | KENT KF22




FIGURE 90

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1250	FU40P1250	134.1
Chisel	135	1250	FU40C1250	134.1
Blunt	135	1250	FU40B1250	134.1

FURUKAWA F27

KENT KF27




FIGURE 91

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	FU41P1300	150.0
Chisel	140	1300	FU41C1300	150.0
Blunt	140	1300	FU41B1300	150.0

FURUKAWA F35

FURUKAWA F30 | KENT KF35




FIGURE 92


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1400	FU42P1400	185.5
Chisel	150	1400	FU42C1400	185.5
Blunt	150	1400	FU42B1400	185.5

Demolition Tools Catalogue
FURUKAWA

FIGURE 93

FURUKAWA F45

KENT KF45




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1500	FU43P1500	240.4
Chisel	165	1500	FU43C1500	240.4
Blunt	165	1500	FU43B1500	240.4

FIGURE 94

FURUKAWA F70

FURUKAWA HB100G | KENT KF70




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1600	FU44P1600	305.2
Chisel	180	1600	FU44C1600	305.2
Blunt	180	1600	FU44B1600	305.2

FIGURE 95

FURUKAWA F100

KENT KF100




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1900	FU46P1900	493.3
Chisel	210	1900	FU46C1900	493.3
Blunt	210	1700	FU46B1700	493.3

FIGURE 96

FURUKAWA HB1G / F1 / FX15

KENT KHB1G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

FIGURE 97

FURUKAWA HB2G / F2 / FX25

KENT KHB2G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	FU22P0450	5.4
Chisel	45	450	FU22C0450	5.4

FIGURE 98

FURUKAWA HB3G

DAINONG (DNB) DNB K25 | DEMOTER (VISTIRINI) DM160RE | KENT KHB3G



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	560	FU23P0560	11.9
Chisel	60	560	FU23C0560	11.9

FURUKAWA HB5G

DAINONG (DNB) DNB K30 | KENT KHB5G




FIGURE 99

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	640	FU24P0640	21.2
Chisel	75	640	FU24C0640	21.2

FURUKAWA HB8G

KENT KHB8G




FIGURE 100

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	750	FU25P0750	35.8
Chisel	90	750	FU25C0750	35.8

FURUKAWA HB10G

DAINONG (DNB) DNB K50 | KENT KHB10G




FIGURE 101

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1000	FU26P1000	64.9
Chisel	105	1000	FU26C1000	64.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922

FURUKAWA HB15G

DEHACO DHB1500S / DHB120 | KENT KHB15G



FIGURE 102

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	FU27P1100	93.3
Chisel	120	1100	FU27C1100	93.3



FURUKAWA HB20G

DAINONG (DNB) DNB K80 / 100 | DEHACO DHB2000S | KENT KHB20G



FIGURE 103

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1200	FU28P1200	128.8
Chisel	135	1200	FU28C1200	128.8



FURUKAWA HB30G

DAINONG (DNB) DNB K120 | DEHACO DHB3600S | KENT KHB30G



FIGURE 104


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	FU29P1300	172.2
Chisel	150	1300	FU29C1300	172.2

Demolition Tools Catalogue
FURUKAWA

FIGURE 105

FURUKAWA HB40G


KENT KHB40G



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	FU30P1400	211.0
Chisel	160	1400	FU30C1400	211.0

FIGURE 106


FURUKAWA FXJ 125



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1070	FU51P1070	76.2
Chisel	110	1070	FU51C1070	76.2
Blunt	110	1070	FU51B1070	76.2

FIGURE 107


FURUKAWA FXJ 175



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	FU52P1100	93.3
Chisel	120	1100	FU52C1100	93.3
Blunt	120	1100	FU52B1100	93.3

FIGURE 108


FURUKAWA FXJ 275



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	FU53P1300	150.0
Chisel	140	1300	FU33C1300	150.0
Blunt	140	1300	FU33B1300	150.0

FIGURE 109


FURUKAWA FXJ 375



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1400	FU54P1400	198.0
Chisel	155	1400	FU54C1400	198.0
Blunt	155	1400	FU54B1400	198.0

FIGURE 110

FURUKAWA FXJ 475



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	FU55P1500	255.2
Chisel	170	1500	FU55C1500	255.2
Blunt	170	1500	FU55B1500	255.2

HANWOO RHB 301-V

HANWOO 302-V | RHINO / MAGNUM RHB 301-V




FIGURE 111

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	HW11P0480	5.7
Chisel	45	480	HW11C0480	5.7

HANWOO RHB 302 / 303-V

HANWOO / RHINO / MAGNUM RHB 302 / 303-V




FIGURE 112

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	490	HW12P0490	7.2
Chisel	50	490	HW12C0490	7.2

HANWOO RHB 303

HANWOO / RHINO / MAGNUM RHB 303 / 303-VP




FIGURE 113

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	500	HW13P0500	8.9
Chisel	55	500	HW13C0500	8.9

HANWOO RHB 305-V

HANWOO / RHINO / MAGNUM RHB 305 / 305-V




FIGURE 114

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	760	HW14P0760	20.7
Chisel	68	760	HW14C0760	20.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



HANWOO RHB 306

HANWOO / RHINO / MAGNUM RHB 306




FIGURE 115

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	850	HW21P0850	32.0
Chisel	80	850	HW21C0850	32.0

PAGE
33

HANWOO RHB 308

HANWOO / RHINO / MAGNUM RHB 308




FIGURE 116

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	HW15P0900	38.3
Chisel	85	900	HW15C0900	38.3


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
HANWOO

FIGURE 117

HANWOO RHB 309

HANWOO / RHINO / MAGNUM RHB 308-2 / 309




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	HW25P0900	38.3
Chisel	85	900	HW25C0900	38.3

FIGURE 118

HANWOO RHB 313-V

HANWOO / RHINO / MAGNUM RHB 313-V / 314




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	HW16P1050	68.2
Chisel	105	1050	HW16C1050	68.2

FIGURE 119

HANWOO RHB 320

HANWOO / RHINO / MAGNUM RHB 320




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1150	HW28P1150	105.8
Chisel	125	1150	HW28C1150	105.8
Blunt	125	1050	HW28B1050	96.6

FIGURE 120

HANWOO RHB 322-2 / 325

HANWOO / RHINO / MAGNUM RHB 322-2 / 323 / 325




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1200	HW17P1200	128.8
Chisel	134	1200	HW17C1200	128.8
Blunt	134	1050	HW17B1050	112.7

FIGURE 121

HANWOO RHB 328-2 / 330

HANWOO / RHINO / MAGNUM RHB 328-2 / 330




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	149	1450	HW18P1450	192.1
Chisel	149	1450	HW18C1450	192.1
Blunt	149	1300	HW18B1300	172.2

FIGURE 122

HANWOO RHB 340

HANWOO / RHINO / MAGNUM RHB 340



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	164	1450	HW23P1450	232.4
Chisel	164	1450	HW23C1450	232.4
Blunt	164	1300	HW23B1300	208.4

INDECO HP150

EURORAM / GLOBORAM / ROCKMASTER RM45 | INDECO MES / UP 121 / 150P




FIGURE 123

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	440	IN23P0440	5.2
Chisel	45	440	IN23C0440	5.2

INDECO HP200

EURORAM / GLOBORAM / ROCKMASTER RM48 | INDECO MES / UP 180 / 181 / 200P




FIGURE 124

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	550	IN17P0550	7.2
Chisel	48	550	IN17C0550	7.2

INDECO HP350

EURORAM / GLOBORAM / ROCKMASTER RM56 | INDECO MES / UP 300 / 301 / 350P / 351P / HP300




FIGURE 125

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	600	IN18P0600	10.7
Chisel	56	600	IN18C0600	10.7

INDECO HP500

EURORAM / GLOBORAM / ROCKMASTER RM65 | INDECO HB5 | INDECO MES / UP 451 / 452 / 462P / 521 / 550




FIGURE 126

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	650	IN11P0650	15.7
Chisel	65	650	IN11C0650	15.7

INDECO HP600

EURORAM / GLOBORAM / ROCKMASTER RM75 | INDECO MES / UP 553P




FIGURE 127

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	73	680	IN29P0680	21.3
Chisel	73	680	IN29C0680	21.3

INDECO HB8

EURORAM / GLOBORAM / ROCKMASTER RM80




FIGURE 128

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	700	IN12P0700	25.7
Chisel	80	700	IN12C0700	25.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
35


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
INDECO

FIGURE 129

INDECO HP700

INDECO MES / UP 601 / 621 / 650P




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	IN19P0650	23.9
Chisel	80	650	IN19C0650	23.9

FIGURE 130

INDECO HP900

EURORAM / GLOBORAM / ROCKMASTER RM88 | INDECO UP 900




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	89	700	IN31P0700	32.6
Chisel	89	700	IN31C0700	32.6

FIGURE 131

INDECO HP1200

EURORAM / GLOBORAM / ROCKMASTER RM85 / 90 | INDECO HB12 | INDECO MES / UP 1200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	800	IN13P0800	38.2
Chisel	90	800	IN13C0800	38.2

FIGURE 132

INDECO HP1500

EURORAM / GLOBORAM / ROCKMASTER RM110 | INDECO HB19 | INDECO MES / UP 1500




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	109	900	IN15P0900	63.0
Chisel	109	900	IN15C0900	63.0
Blunt	109	800	IN15B0800	56.0

FIGURE 133

INDECO HP1800

EURORAM / GLOBORAM / ROCKMASTER RM115 | INDECO MES / UP 1750 / 1800 | OMAL 1300




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1000	MB15P1000	76.5
Chisel	114	1000	MB15C1000	76.5
Blunt	114	900	MB15B0900	68.9

FIGURE 134

INDECO HP2000

EURORAM / GLOBORAM / ROCKMASTER RM120 | INDECO HB27 | INDECO MES / UP 2000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	119	1000	IN16P1000	83.4
Chisel	119	1000	IN16C1000	83.4
Blunt	119	900	IN16B0900	75.0

INDECO HP2500

INDECO UP2500 / MES 2500 / EURORAM RM130




FIGURE 135

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1050	IN20P1050	104.5
Chisel	130	1050	IN20C1050	104.5
Blunt	130	950	IN20B0950	94.5

INDECO HP2750




FIGURE 136

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1100	IN33P1100	116.3
Chisel	134	1100	IN33C1100	116.3
Blunt	134	1000	IN33B1000	105.7

INDECO HP3000

EURORAM / GLOBORAM / ROCKMASTER RM140 | INDECO MES / UP 3000




FIGURE 137

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1100	IN24P1100	126.9
Chisel	140	1100	IN24C1100	126.9
Blunt	140	1000	IN24B1000	115.4

INDECO HP3500

EURORAM / GLOBORAM / ROCKMASTER RM145 | INDECO MES / UP 3500




FIGURE 138

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	144	1170	IN21P1170	142.8
Chisel	144	1170	IN21C1170	142.8
Blunt	144	1070	IN21B1070	130.6

INDECO HP4000

EURORAM / GLOBORAM / ROCKMASTER RM150 | INDECO MES / UP 4000 / 4001




FIGURE 139

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	IN28P1250	165.6
Chisel	150	1250	IN28C1250	165.6
Blunt	150	1150	IN28B1150	152.3

INDECO HP5000

EURORAM / GLOBORAM / ROCKMASTER RM160 | INDECO MES / UP 5000




FIGURE 140

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1320	IN22P1320	196.5
Chisel	159	1320	IN22C1320	196.5
Blunt	159	1170	IN22B1170	174.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
37

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

Demolition Tools Catalogue
INDECO

FIGURE 141

INDECO HP7000

EURORAM / GLOBORAM / ROCKMASTER RM180 | INDECO MES / UP 7000




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1450	IN25P1450	276.6
Chisel	180	1450	IN25C1450	276.6
Blunt	180	1300	IN25P1300	248.0

FIGURE 142

INDECO HP9000

EURORAM / GLOBORAM / ROCKMASTER RM195 | INDECO MES / UP 8500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	195	1530	IN26P1530	342.5
Chisel	195	1530	IN26C1530	342.5
Blunt	195	1380	IN26B1380	308.9



PAGE
38

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

ITALDEM GK 85 / 86

STAR SH91




FIGURE 143

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	450	IT24P0450	5.6
Chisel	46	450	IT24C0450	5.6

ITALDEM GK 160 / 161

STAR SH151 / 161




FIGURE 144

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	500	IT25P0500	9.2
Chisel	56	500	IT25C0500	9.2

ITALDEM GK 211

STAR SH200




FIGURE 145

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	620	IT27P0620	16.4
Chisel	68	620	IT27C0620	16.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

ITALDEM GK 290 / 291

STAR SH281




FIGURE 146

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	660	IT28P0660	24.9
Chisel	80	660	IT28C0660	24.9



ITALDEM GK 360 / 361




FIGURE 147

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	700	IT29P0700	29.8
Chisel	85	700	IT29C0700	29.8

ITALDEM GK 600 / 610

ITALDEM GK 620 | STAR SH561 / 562




FIGURE 148


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	900	IT30P0900	58.4
Chisel	105	900	IT30C0900	58.4

Demolition Tools Catalogue
ITALDEM

FIGURE 149

ITALDEM GK 950 / 960

STAR SH991




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1050	IT31P1050	81.8
Chisel	114	1050	IT31C1050	81.8
Blunt	114	950	IT31B0950	74.0

FIGURE 150

ITALDEM GK 1050

STAR SH992




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1050	IT39P1050	80.3
Chisel	114	1050	IT39C1050	80.3
Blunt	114	950	IT39B0950	72.7

FIGURE 151

ITALDEM GK 1350

ITALDEM GK 1351 | STAR SH1401




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	119	1100	IT32P1100	93.3
Chisel	119	1100	IT32C1100	93.3
Blunt	119	1000	IT32B1000	84.8

FIGURE 152

ITALDEM GK 1351S


STAR SH1402



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	IT36P1150	97.5
Chisel	120	1150	IT36C1150	97.5
Blunt	120	1050	IT36B1050	89.0

FIGURE 153


ITALDEM GK 1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1200	IT33P1200	119.4
Chisel	130	1200	IT33C1200	119.4
Blunt	130	1100	IT33B1100	109.4

FIGURE 154

ITALDEM GK 1800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1250	IT38P1250	154.7
Chisel	140	1250	IT38C1250	154.7
Blunt	140	1150	IT38B1150	142.4



ITALDEM GK 2400




FIGURE 155

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	148	1350	IT34P1350	174.1
Chisel	148	1350	IT34C1350	174.1
Blunt	148	1200	IT34B1200	154.8

ITALDEM GK 3400 / 3500




FIGURE 156

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1450	IT35P1450	246.7
Chisel	170	1450	IT35C1450	246.7
Blunt	170	1300	IT35B1300	221.2

ITALDEM GK 3800




FIGURE 157

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	185	1350	IT37P1350	272.0
Chisel	185	1350	IT37C1350	272.0
Blunt	185	1250	IT37B1250	261.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
41

Demolition Tools Catalogue

KRUPP

FIGURE 158


KRUPP HM45



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	470	KR10P0470	4.9
Chisel	42	470	KR10C0470	4.9

FIGURE 159


KRUPP HM50 / 55



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	580	KR11P0580	6.9
Chisel	45	580	KR11C0580	6.9

FIGURE 160


KRUPP HM60V



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	500	KR35P0500	6.8
Chisel	48	500	KR35C0500	6.8

FIGURE 161


KRUPP HM60 / 75



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	600	KR12P0600	10.7
Chisel	55	600	KR12C0600	10.7

FIGURE 162


KRUPP HM85 / 90 / 90V



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	600	KR31P0600	13.6
Chisel	62	600	KR31C0600	13.6

FIGURE 163

KRUPP HM130 / 140V



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	780	KR14P0780	19.4
Chisel	65	780	KR14C0780	19.4

KRUPP HM185/190V

ALLIED HY-RAM 725




FIGURE 164

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	800	KR15P0800	26.5
Chisel	75	800	KR15C0800	26.5

KRUPP HM200

ALLIED HY-RAM 77




FIGURE 165

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	835	KR16P0835	31.5
Chisel	80	835	KR16C0835	31.5

KRUPP HM220 / 230




FIGURE 166

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR34P0900	33.9
Chisel	80	900	KR34C0900	33.9

KRUPP HM300 / 301 / 305

ALLIED HY-RAM 730 | DEMOTER (VISTIRINI) S430




FIGURE 167

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR17P0900	33.9
Chisel	80	900	KR17C0900	33.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



KRUPP HM350 / 350V

ALLIED HY-RAM 735 | ATLAS COPCO MB500




FIGURE 168

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	900	KR32P0900	42.9
Chisel	90	900	KR32C0900	42.9

KRUPP HM550 / 560V

ALLIED HY-RAM 740





FIGURE 169

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR19P1000	58.9
Chisel	100	1000	KR19C1000	58.9

FIGURE 170

KRUPP HM580

ALLIED HY-RAM 745 | CHICAGO PNEUMATIC (CP) CP750 / RX14 | ATLAS COPCO MB700/800




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR38P1000	58.9
Chisel	100	1000	KR38C1000	58.9

FIGURE 171

KRUPP HM600 / 601

ALLIED HY-RAM 88




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR20P1000	58.9
Chisel	100	1000	KR20C1000	58.9

FIGURE 172

KRUPP HM700 / 701 / 702 / 705

ALLIED HY-RAM 750




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1150	KR21P1150	89.5
Chisel	115	1150	KR21C1150	89.5
Blunt	115	1050	KR21B1050	81.8

FIGURE 173

KRUPP HM710 / 720

ALLIED HY-RAM 750B | CHICAGO PNEUMATIC (CP) CP1150 | JCB HM1260 / HM1270Q




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1080	KR22P1080	84.1
Chisel	115	1080	KR22C1080	84.1
Blunt	115	1000	KR22B1000	77.9

FIGURE 174

KRUPP HM780

ALLIED HY-RAM 755 | ATLAS COPCO MB1200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	KR39P1150	97.5
Chisel	120	1150	KR39C1150	97.5
Blunt	120	1050	KR39B1050	89.0
Blunt	120	1150	KR39B1150	97.5

FIGURE 175

KRUPP HM950 / 960

ALLIED HY-RAM 770B | CHICAGO PNEUMATIC (CP) CP1550 / CP1650 / RX22 | ATLAS COPCO MB1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1080	KR25P1080	114.2
Point	135	1350	KR25P1350	142.7
Chisel	135	1080	KR25C1080	114.2
Chisel	135	1350	KR25C1350	142.7
Blunt	135	1080	KR25B1080	114.2

KRUPP HM1000

ALLIED HY-RAM 775CS | ATLAS COPCO MB1700




FIGURE 176

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	KR37P1200	138.5
Chisel	140	1200	KR37C1200	138.5
Blunt	140	1100	KR37B1100	126.9

KRUPP HM1500MV

ALLIED HY-RAM 785 | CHICAGO PNEUMATIC (CP) CP2250 / RX29 / RX30 | ATLAS COPCO HB2200




FIGURE 177

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	KR28P1300	172.2
Chisel	150	1300	KR28C1300	172.2
Blunt	150	1150	KR28B1150	152.3

KRUPP HM2000MV

ALLIED HY-RAM 795CS | (SEE ALSO ATLAS COPCO)




FIGURE 178

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	KR29P1400	211.0
Chisel	160	1400	KR29C1400	211.0
Blunt	160	1250	KR29B1250	188.4

KRUPP HM2100 / 2300

ALLIED HY-RAM 797 | ATLAS COPCO HB3000 | CHICAGO PNEUMATIC CP3050




FIGURE 179

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1500	KR40P1500	240.4
Point	165	1300	KR40P1300	208.4
Chisel	165	1500	KR40C1500	240.4
Chisel	165	1300	KR40C1300	208.4
Blunt	165	1300	KR40B1300	208.4

KRUPP HM2500 / 2600MV

ALLIED HY-RAM 800 / 805 | ATLAS COPCO HB4200 | CHICAGO PNEUMATIC CP4250 | KRUPP HM2500MV / 2600 / HB4200




FIGURE 180

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	KR30P1500	286.1
Chisel	180	1500	KR30C1500	286.1
Blunt	180	1350	KR30B1350	257.5

KRUPP HM3000

ATLAS COPCO HB5800




FIGURE 181

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	200	1700	KR46P1700	400.4
Chisel	200	1700	KR46C1700	400.4
Blunt	200	1500	KR46B1500	353.3

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
45

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 182

KRUPP HM4000

ALLIED HY-RAM 905 | ATLAS COPCO HB7000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1800	KR33P1800	467.3
Chisel	210	1800	KR33C1800	467.3
Blunt	210	1600	KR33B1600	415.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
46

MONTABERT BRH40

IDROMECCANICA IMI 85 | ITALDEM K 80 | OCM 8 | OMAL 80 | OMD 20 |
PROMOVE PMV90 / P3SH | STAR SH40




FIGURE 183

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	500	MB11P0500	6.0
Point	46	700	MB11P0700	8.3
Chisel	46	500	MB11C0500	6.0
Chisel	46	700	MB11C0700	8.3

MONTABERT BRH75 / 76 / 90 / 91




FIGURE 184

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	550	MB12P0550	11.7
Chisel	60	550	MB12C0550	11.7

MONTABERT BRH125

IDROMECCANICA IMI 260 | ITALDEM K 270 | OCM25 | OMAL 235 / 270 / 270S / 276 | OMD 30 |
PROMOVE PMV290 / 390 / P12SH | STAR SH280




FIGURE 185

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	MB13P0650	24.5
Point	80	760	MB13P0760	28.6
Point	80	950	MB13P0950	35.8
Chisel	80	650	MB13C0650	24.5
Chisel	80	760	MB13C0760	28.6
Chisel	80	950	MB13C0950	35.8

MONTABERT BRH250 / 270

IDROMECCANICA IMI 600 / 605 | ITALDEM K 550 | JCB HM480 | OCM55 | OMAL 500 / 550 |
OMD 50 | PROMOVE PMV690 / P16SH | STAR SH560




FIGURE 186

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB14P0850	45.2
Point	95	1000	MB14P1000	53.1
Chisel	95	850	MB14C0850	45.2
Chisel	95	1000	MB14C1000	53.1

MONTABERT BRH501 / 570

IDROMECCANICA IMI / 1000 / 1010 | INDECO HP1800 | ITALDEM K 1000 | OCM100 |
OMAL 1000 / 1050 | OMD 100 | PROMOVE PMV1000 / P23SH | STAR SH990




FIGURE 187

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1000	MB15P1000	76.5
Point	114	1300	MB15P1300	99.5
Chisel	114	1000	MB15C1000	76.5
Chisel	114	1300	MB15C1300	99.5
Blunt	114	1000	MB15B1000	76.5

MONTABERT BRH620




FIGURE 188

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	MB16P1000	76.5
Chisel	115	1000	MB16C1000	76.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
47


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
MONTABERT

FIGURE 189

MONTABERT BRH625 / 900

MONTABERT M900 | JCB HM630 | PROMOVE P22 | STAR SH1200 | ITALDEM K 1030




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1000	MB17P1000	82.0
Point	118	1150	MB17P1150	94.3
Chisel	118	1000	MB17C1000	82.0
Chisel	118	1150	MB17C1150	94.3
Blunt	118	1000	MB17B1000	82.0

FIGURE 190

MONTABERT BRH750

IDROMECCANICA IMI 1200 | ITALDEM K 1300 | OCM130 | OMD 2000 | PROMOVE PMV1390 / P27SH | STAR SH1400




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MB18P1100	93.3
Chisel	120	1100	MB18C1100	93.3
Blunt	120	1000	MB18B1000	84.8

FIGURE 191

MONTABERT M30

BOBCAT B300 | MONTABERT BRP30




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	410	MB35P0410	3.9
Chisel	40	410	MB35C0410	3.9

FIGURE 192

MONTABERT M50 / 50SMS

BOBCAT B500 | MONTABERT BRP45 / 50




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	430	MB33P0430	6.3
Point	50	630	MB33P0630	9.3
Chisel	50	430	MB33C0430	6.3
Chisel	50	630	MB33C0630	9.3

FIGURE 193

MONTABERT M70 / 70SMS

BOBCAT B600 / B700 | MONTABERT BRP60 / 70




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	510	MB34P0510	7.5
Point	50	710	MB34P0710	10.5
Chisel	50	510	MB34C0510	7.5
Chisel	50	710	MB34C0710	10.5

FIGURE 194

MONTABERT M85 / 85SMS / 90 / 90SMS

BOBCAT B850 / B950 | MONTABERT 95 / 100 (BRP85 / 95 / 100)



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	620	MB37P0620	14.0
Chisel	62	620	MB37C0620	14.0

MONTABERT 125SX




FIGURE 195

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	750	MB40P0750	24.2
Chisel	74	750	MB40C0750	24.2

MONTABERT M140 / 140SMS / 150 / 150SMS




FIGURE 196

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	740	MB36P0740	23.2
Point	74	950	MB36P0950	29.8
Chisel	74	740	MB36C0740	23.2
Chisel	74	950	MB36C0950	29.8

MONTABERT M300 / 300MS




FIGURE 197

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB39P0850	43
Chisel	95	850	MB39C0850	43

MONTABERT M600




FIGURE 198

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	930	MB26P0930	60.4
Chisel	105	930	MB26C0930	60.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



MONTABERT M700 / 700SMS




FIGURE 199

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	112	1000	MB25P1000	72.5
Chisel	112	1000	MB25C1000	72.5



MONTABERT M900 / 900MS / BRH625




FIGURE 200

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1000	MB17P1000	82.0
Point	118	1150	MB17P1150	94.3
Chisel	118	1000	MB17C1000	82.0
Chisel	118	1150	MB17C1150	94.3
Blunt	118	1000	MB17B1000	82.0


PAGE
49



Demolition Tools Catalogue
MONTABERT

FIGURE 201

BOBCAT B280



MONTABERT SILVER CLIP 06 (SC06)

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	37	440	MB47P0440	3.7
Chisel	37	440	MB47C0440	3.7
Pyramid Pt	37	440	MB47PP0440	3.7

FIGURE 202

BOBCAT B380




MONTABERT SILVER CLIP 08 (SC08)

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	455	MB46P0455	4.7
Chisel	42	455	MB46C0455	4.7
Pyramid Pt	42	455	MB46PP0455	4.7

FIGURE 203

BOBCAT B580




MONTABERT SILVER CLIP 12 (SC12)

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	44	475	MB41P0475	5.4
Chisel	44	475	MB41C0475	5.4
Pyramid Pt	44	475	MB41PP0475	5.4

FIGURE 204

BOBCAT B680




MONTABERT SILVER CLIP 16 (SC16)

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	54	550	MB43P0550	9.4
Chisel	54	550	MB43C0550	9.4
Pyramid Pt	54	550	MB43PP0550	9.4

FIGURE 205

BOBCAT B880



MONTABERT SILVER CLIP 22 (SC22)

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	580	MB44P0580	13.1
Chisel	62	580	MB44C0580	13.1
Pyramid Pt	62	580	MB44PP0580	13.1

MONTABERT SILVER CLIP 28 (SC28)

BOBCAT B980




FIGURE 206

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	69	620	MB42P0620	17.4
Chisel	69	620	MB42C0620	17.4
Pyramid Pt	69	620	MB42PP0620	17.4

MONTABERT SILVER CLIP 36 (SC36)

BOBCAT B1180




FIGURE 207

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	77	710	MB45P0710	24.8
Chisel	77	710	MB45C0710	24.8
Pyramid Pt	77	710	MB45PP0710	24.8

MONTABERT SILVER CLIP 42 (SC42)




FIGURE 208

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	800	MB52P0800	34.0
Chisel	85	800	MB52C0800	34.0
Pyramid Pt	85	800	MB52PP0800	34.0

MONTABERT SILVER CLIP 50 (SC50)

BOBCAT HB2380




FIGURE 209

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB53P0850	45.2
Chisel	95	850	MB53C0850	45.2
Pyramid Pt	95	850	MB53PP0850	45.2

MONTABERT V32 / V32MS / V1200

JCB HM690 | MONTABERT V32(BRV32)




FIGURE 210

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	122	1100	MB21P1100	96.4
Point	122	1300	MB21P1300	113.9
Chisel	122	1100	MB21C1100	96.4
Chisel	122	1300	MB21C1300	113.9
Blunt	122	1100	MB21B1100	96.4

MONTABERT V43 / BRV43




FIGURE 211

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	MB22P1250	165.6
Chisel	150	1250	MB22C1250	165.6
Blunt	150	1100	MB22B1100	145.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
51

Demolition Tools Catalogue
MONTABERT

FIGURE 212


MONTABERT V45 / BRV45



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1350	MB48P1350	178.8
Point	150	1500	MB48P1500	198.7
Chisel	150	1350	MB48C1350	178.8
Chisel	150	1500	MB48C1500	198.7
Blunt	150	1350	MB48B1350	178.8
Blunt	150	1500	MB48B1500	198.7

FIGURE 213


MONTABERT V53 / BRV53



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1400	MB24P1400	238.2
Chisel	170	1400	MB24C1400	238.2
Blunt	170	1250	MB24B1250	212.7

FIGURE 214


MONTABERT V55 / BRV55



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	MB49P1500	255.2
Chisel	170	1500	MB49C1500	255.2
Blunt	170	1500	MB49B1500	255.2

FIGURE 215


MONTABERT V65 / BRV65



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	202	1800	MB29P1800	432.4
Chisel	202	1800	MB29C1800	432.4
Blunt	202	1800	MB29B1800	432.4

FIGURE 216


MONTABERT V1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	MB19P1300	154.3
Chisel	140	1300	MB19C1300	154.3
Blunt	140	1200	MB19B1200	142.5

FIGURE 217

MONTABERT V1800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	MB51P1300	150.0
Chisel	140	1300	MB51C1300	150.0
Blunt	140	1300	MB51B1300	150.0

MONTABERT V2500




FIGURE 218

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1500	MB50P1500	226.1
Chisel	160	1500	MB50C1500	226.1
Blunt	160	1350	MB50B1350	203.5

MONTABERT V3500




FIGURE 219

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1560	MB59P1560	278.1
Chisel	175	1560	MB59C1560	278.1
Blunt	175	1400	MB59B1400	249.5

MONTABERT V4500




FIGURE 220

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1660	MB60P1660	352.8
Chisel	190	1660	MB60C1660	352.8
Blunt	190	1450	MB60B1450	308.2

MONTABERT (BLUE LINE) XL1000

DOOSAN DXB100H




FIGURE 221

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	107	1000	MB54P1000	67.4
Chisel	107	1000	MB54C1000	67.4
Blunt	107	1000	MB54B1000	67.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



MONTABERT (BLUE LINE) XL1300

DOOSAN DXB130H




FIGURE 222

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	124	1100	MB55P1100	88.7
Chisel	124	1100	MB55C1100	88.7
Blunt	124	1100	MB55B1100	88.7



MONTABERT (BLUE LINE) XL1700

DOOSAN DXB170H




FIGURE 223

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	137	1200	MB56P1200	132.6
Chisel	137	1200	MB56C1200	132.6
Blunt	137	1200	MB56B1200	132.6

PAGE
53

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922

Demolition Tools Catalogue
MONTABERT

FIGURE 224

MONTABERT (BLUE LINE) XL1900

DOOSAN DXB190H




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1350	MB57P1350	160.3
Chisel	142	1350	MB57C1350	160.3
Blunt	142	1350	MB57B1350	160.3

FIGURE 225

MONTABERT (BLUE LINE) XL2600

DOOSAN DXB260H




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1400	MB58P1400	200.6
Chisel	156	1400	MB58C1400	200.6
Blunt	156	1400	MB58B1400	200.6




PAGE
54


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MSB SAGA 20II**FIGURE 226**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	400	MS35P0400	4.7
Chisel	45	400	MS35C0400	4.7

MSB SAGA 30II**FIGURE 227**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	500	MS29P0500	8.3
Chisel	53	500	MS29C0500	8.3


MSB SAGA 40II**FIGURE 228**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	59	550	MS36P0550	11.5
Chisel	59	550	MS36C0550	11.5


MSB SAGA 50**FIGURE 229**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	700	MS37P0700	19.1
Chisel	68	700	MS37C0700	19.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922


**MSB SAGA 80 / 81****FIGURE 230**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	750	MS38P0750	24.5
Chisel	74	750	MS38C0750	24.5

**MSB SAGA 100****FIGURE 231**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	MS39P0900	38.3
Chisel	85	900	MS39C0900	38.3

PAGE
55

MSB SAGA 120**FIGURE 232**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	98	950	MS40P0950	53.7
Chisel	98	950	MS40C0950	53.7


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

MSB

FIGURE 233


MSB SAGA 180



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MS41P1100	93.3
Chisel	120	1100	MS41C1100	93.3

FIGURE 234


MSB SAGA 200II / 220



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1200	MS42P1200	128.8
Chisel	135	1200	MS42C1200	128.8

FIGURE 235


MSB SAGA 300



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	MS43P1300	172.2
Chisel	150	1300	MS43C1300	172.2

FIGURE 236


MSB SAGA 350



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	153	1400	MS44P1400	192.9
Chisel	153	1400	MS44C1400	192.9

FIGURE 237

MSB MS 35AT



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1350	MS30P1350	216.4
Chisel	165	1350	MS30C1350	216.4

FIGURE 238


MSB MS 45AT




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1500	MS31P1500	270.5
Chisel	175	1500	MS31C1500	270.5

FIGURE 239

MSB MS 75AT




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	205	1650	MS33P1650	408.2
Chisel	205	1650	MS33C1650	408.2

MSB MS200**FIGURE 240**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	600	MS11P0600	13.6
Chisel	63	600	MS11C0600	13.6

MSB MS220H / 230H


ALLIED AR70B | INAN MAKINA (MTB) MT 25 | MTB MT25 | WIMMER W-220

**FIGURE 241**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	680	MS12P0680	19.6
Chisel	70	680	MS12C0680	19.6

MSB MS250


ALLIED AR75B | INAN MAKINA (MTB) MT 35 / 36 | MSB MS225 / MS250H | MTB MT35 / 36

**FIGURE 242**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	700	MS22P0700	23.2
Chisel	75	700	MS22C0700	23.2

MSB MS300


ALLIED AR85 | INAN MAKINA (MTB) MT 45 | MSB MS300H | MTB MT45 | WIMMER W-330

**FIGURE 243**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	790	MB43P0790	33.6
Chisel	85	790	MB43C0790	33.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922**MSB MS400**

ALLIED AR95 | MSB MS400H | WIMMER W-440

**FIGURE 244**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	920	MS14P0920	48.9
Chisel	95	920	MS14C0920	48.9

**MSB MS450H / MS460H****FIGURE 245**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	920	MS23P0920	54.2
Chisel	100	920	MS23C0920	54.2

MSB MS500H / MS520H

INAN MAKINA (MTB) MT 120 | MTB MT120 | WIMMER W-550

**FIGURE 246**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1050	MS15P1050	74.8
Chisel	110	1050	MS15C1050	74.8

PAGE
57© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


Demolition Tools Catalogue

MSB

FIGURE 247

MSB MS550H

ALLIED AR120 | INAN MAKINA (MTB) MT 150 | MTB MT150 | WIMMER W-600




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MS25P1100	93.3
Chisel	120	1100	MS25C1100	93.3

FIGURE 248

MSB MS600

ALLIED AR130B | INAN MAKINA (MTB) MT 170 | MTB MT170 | WIMMER W-660




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1200	MS20P1200	119.4
Chisel	130	1200	MS20C1200	119.4
Blunt	130	1100	MS20B1100	109.4

FIGURE 249

MSB MS700

ALLIED AR140 | INAN MAKINA (MTB) MT 210 | MTB MT210 | WIMMER W-770




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	MS21P1200	138.5
Chisel	140	1200	MS21C1200	138.5
Blunt	140	1100	MS21B1100	126.9

FIGURE 250

MSB MS800 / MS810H

ALLIED AR160C | INAN MAKINA (MTB) MT 275 | MSB MS810H | MTB MT270 / 275 | WIMMER W-880




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	MS24P1400	211.0
Chisel	160	1400	MS24C1400	211.0
Blunt	160	1250	MS24B1250	188.4

FIGURE 251

MSB MS900 / MS910


INAN MAKINA (MTB) MT 360 | MTB MT360 | WIMMER W-990




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1450	MS19P1450	246.7
Chisel	170	1450	MS19C1450	246.7
Blunt	170	1300	MS19B1300	221.2

FIGURE 252


MSB MS1000H / MSB MS 55AT




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1600	MS34P1600	305.2
Chisel	180	1600	MS34C1600	305.2
Blunt	180	1600	MS34B1600	305.2

NPK E-106**FIGURE 253**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	41	410	NP59P0410	4.1
Chisel	41	410	NP59C0410	4.1

NPK E-200 / GH06**FIGURE 254**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	500	NP43P0500	5.2
Chisel	42	500	NP43C0500	5.2


NPK E-201 / GH07**FIGURE 255**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	47	550	NP44P0550	7.2
Chisel	47	550	NP44C0550	7.2


NPK E-202 / GH1**FIGURE 256**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	650	NP45P0650	12.4
Chisel	57	650	NP45C0650	12.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922


**NPK E-203 / GH2****FIGURE 257**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	66	700	NP46P0700	18.0
Chisel	66	700	NP46C0700	18.0

**NPK E-204 / GH3****FIGURE 258**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	76	750	NP47P0750	25.5
Chisel	76	750	NP47C0750	25.5

PAGE
59

NPK E-205 / GH4**FIGURE 259**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	86	850	NP48P0850	37.0
Chisel	86	850	NP48C0850	37.0

Demolition Tools Catalogue

NPK

FIGURE 260


NPK E-206



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	96	940	NP49P0940	51.0
Chisel	96	940	NP49C0940	51.0

FIGURE 261


NPK E-207 / GH6



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	950	NP53P0950	62.8
Chisel	106	950	NP53C0950	62.8

FIGURE 262


NPK E-208A



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1050	NP54P1050	83.2
Chisel	116	1050	NP54C1050	83.2

FIGURE 263


NPK GH7



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1050	NP63P1050	83.2
Chisel	116	1050	NP63C1050	83.2

FIGURE 264


NPK GH9 / H-10XB / H-10XE



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP27P1100	102.8
Chisel	126	1100	NP27C1100	102.8
Blunt	126	1000	NP27B1000	93.5

FIGURE 265


NPK GH10




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1200	NP55P1200	130.7
Chisel	136	1200	NP55C1200	130.7
Blunt	136	1100	NP55B1100	119.8

FIGURE 266


NPK GH12




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP60P1300	160.9
Chisel	146	1300	NP60C1300	160.9
Blunt	146	1200	NP60B1200	148.5

NPK GH15**FIGURE 267**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1400	NP61P1400	198.0
Chisel	156	1400	NP61C1400	198.0
Blunt	156	1300	NP61B1300	183.9

NPK GH18**FIGURE 268**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1630	NP62P1630	261.3
Chisel	165	1630	NP62C1630	261.3
Blunt	165	1450	NP62B1450	232.4


NPK E-210A**FIGURE 269**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP26P1100	102.8
Chisel	126	1100	NP26C1100	102.8
Blunt	126	1100	NP26B1100	102.8


NPK E-12X / E-212**FIGURE 270**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1200	NP50P1200	112.2
Chisel	126	1200	NP50C1200	112.2
Blunt	126	1200	NP50B1200	112.2


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922

**NPK E-213****FIGURE 271**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1300	NP34P1300	141.6
Chisel	136	1300	NP34C1300	141.6
Blunt	136	1300	NP34B1300	141.6

NPK E-15X / E-215**FIGURE 272**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1250	NP51P1250	136.1
Chisel	136	1250	NP51C1250	136.1
Blunt	136	1250	NP51B1250	136.1

NPK E-216**FIGURE 273**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP37P1300	163.1
Chisel	146	1300	NP37C1300	163.1
Blunt	146	1300	NP37B1300	163.1



PAGE
61


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

NPK

FIGURE 274


NPK E-18X / E-218



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP52P1300	163.1
Chisel	146	1300	NP52C1300	163.1
Blunt	146	1300	NP52B1300	163.1

FIGURE 275


NPK E-220



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP35P1350	193.4
Chisel	156	1350	NP35C1350	193.4
Blunt	156	1350	NP35B1350	193.4

FIGURE 276


NPK E-24X / E-224



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP36P1350	193.4
Chisel	156	1350	NP36C1350	193.4
Blunt	156	1350	NP36B1350	193.4

FIGURE 277


NPK E-225



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1525	NP39P1520	244.4
Chisel	165	1525	NP39C1525	244.4
Blunt	165	1350	NP39B1350	216.4

FIGURE 278


NPK E-235



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1650	NP33P1650	350.7
Chisel	190	1650	NP33C1650	350.7
Blunt	190	1650	NP33B1650	350.7

FIGURE 279


NPK E-240A




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	184	1800	NP56P1800	358.8
Chisel	184	1800	NP56C1800	358.8
Blunt	184	1600	NP56B1600	318.9

FIGURE 280


NPK H-06X




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	470	NP10P0470	4.4
Chisel	40	470	NP10C0470	4.4

NPK H-08XA**ARROWHEAD 2T****FIGURE 281**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	NP11P0480	5.7
Chisel	45	480	NP11C0480	5.7

NPK H-1XA**FIGURE 282**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	580	NP13P0580	11.1
Chisel	57	580	NP13C0580	11.1

NPK H-2XA / H-2XE**ARROWHEAD 4T****FIGURE 283**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	620	NP14P0620	15.4
Chisel	65	620	NP14C0620	15.4

NPK H-3XA / H-3XE**FIGURE 284**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	710	NP16P0710	23.5
Chisel	75	710	NP16C0710	23.5

NPK H-4X**FIGURE 285**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	780	NP17P0780	37.2
Chisel	90	780	NP17C0780	37.2

NPK H-6XA**FIGURE 286**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	96	920	NP18P0920	49.9
Chisel	96	920	NP18C0920	49.9

NPK H-7XA**FIGURE 287**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	930	NP20P0930	60.4
Chisel	105	930	NP20C0930	60.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
63

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



**THOMAS
TURTON**

PAGE
64


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

NPK

FIGURE 288


NPK H-8XA



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1015	NP22P1015	79.0
Chisel	116	1015	NP22C1015	79.0

FIGURE 289


NPK H-10XB / H-10XE



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP27P1100	102.8
Chisel	126	1100	NP27C1100	102.8
Blunt	126	1000	NP27B1000	93.5

FIGURE 290


NPK H-12XE



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1200	NP28P1200	128.8
Chisel	136	1200	NP28C1200	128.8
Blunt	136	1100	NP28B1100	118.0

FIGURE 291


NPK H-16X / E



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	145	1300	NP30P1300	160.9
Chisel	145	1300	NP30C1300	160.9
Blunt	145	1300	NP30B1300	160.9

FIGURE 292

NPK H-20X / E



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP31P1350	193.4
Chisel	156	1350	NP31C1350	193.4
Blunt	156	1350	NP31B1350	193.4

PAGE
64

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

PROMOVE XP100




FIGURE 293

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	430	PR14P0430	5.4
Chisel	46	430	PR14C0430	5.4

PROMOVE XP150




FIGURE 294

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	500	PR15P0500	9.2
Chisel	56	500	PR15C0500	9.2

PROMOVE XP250




FIGURE 295

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	64	620	PR16P0620	15.0
Chisel	64	620	PR16C0620	15.0

PROMOVE XP300 / 400 / 450




FIGURE 296

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	PR17P0650	24.5
Chisel	80	650	PR17C0650	24.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PROMOVE XP550 / 551




FIGURE 297

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	87	815	PR18P0815	36.3
Chisel	87	815	PR18C0815	36.3

PROMOVE XP800



FIGURE 298

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	920	PR19P0920	54.2
Chisel	100	920	PR19C0920	54.2

PROMOVE XP1200




FIGURE 299


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1000	PR20P1000	84.8
Chisel	120	1000	PR20C1000	84.8
Blunt	120	900	PR20B0900	76.3




PAGE
65

PROMOVE**FIGURE 300****PROMOVE XP1500**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	PR21P1100	109.4
Chisel	130	1100	PR21C1100	109.4
Blunt	130	1000	PR21B1000	99.5

FIGURE 301**PROMOVE XP2400**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	PR23P1300	172.2
Chisel	150	1300	PR23C1300	172.2
Blunt	150	1200	PR23B1200	159.0

FIGURE 302**PROMOVE XP4500**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1575	PR25P1575	300.4
Chisel	180	1575	PR25C1575	300.4
Blunt	180	1400	PR25B1400	267.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



RAMMER S18 / PICCOLO

CATERPILLAR CAT H45 / H45FT | KUBOTA KXB 300 / 350 | VOLVO HB80



FIGURE 303

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	400	RM60P0400	3.8
Chisel	40	400	RM60C0400	3.8

RAMMER S21

BOBCAT 1750 | CATERPILLAR CAT H50 / H50FT | JCB HM160 | O&K H32 | VOLVO HB130



FIGURE 304

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	RM11P0480	5.7
Point	45	560	RM11P0560	6.7
Chisel	45	480	RM11C0480	5.7
Chisel	45	560	RM11C0560	6.7

RAMMER S22

CATERPILLAR CAT H63 / H63FT | O&K H45 | VOLVO HB200



FIGURE 305

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	530	RM25P0530	7.8
Point	50	600	RM25P0600	8.8
Chisel	50	530	RM25C0530	7.8
Chisel	50	600	RM25C0600	8.8

RAMMER S23

JCB HM260 | O&K H65 | ROBI BH30 | VOLVO HB300



FIGURE 306

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	680	RM12P0680	15.9
Point	63	780	RM12P0780	18.2
Chisel	63	680	RM12C0680	15.9
Chisel	63	780	RM12C0780	18.2

RAMMER S24

CATERPILLAR CAT H70 / H70FT




FIGURE 307

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM13P0730	21.1
Chisel	70	730	RM13C0730	21.1

RAMMER S25

JCB HM360 | O&K H85 | ROBI BH50 | VOLVO HB440



FIGURE 308

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM14P0730	21.1
Point	70	830	RM14P0830	23.9
Chisel	70	730	RM14C0730	21.1
Chisel	70	830	RM14C0830	23.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
67


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
RAMMER

FIGURE 309

RAMMER S26

CATERPILLAR CAT H90 / H90FT | DAINONG DNB D50 | JCB HM460




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	RM15P0850	40.5
Chisel	90	850	RM15C0850	40.5

FIGURE 310

RAMMER S27

JCB HM550 | O&K H120 | VOLVO HB600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	84	840	RM27P0840	34.9
Chisel	84	840	RM27C0840	34.9

FIGURE 311

RAMMER S29

CATERPILLAR CAT H100 / H100FT | JCB HM850 | O&K H150 | ROBI BH80 | VOLVO HB800




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	RM24P0900	47.8
Chisel	95	900	RM24C0900	47.8

FIGURE 312

RAMMER S52

CATERPILLAR CAT 110 / B110




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	900	RM16P0900	64.1
Chisel	110	900	RM16C0900	64.1

FIGURE 313

RAMMER S54

CATERPILLAR CAT 115C / 116 | DAINONG DNB D60 | JCB HM560



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM17P1050	81.8
Chisel	115	1050	RM17C1050	81.8

FIGURE 314

RAMMER S55/E66

CATERPILLAR CAT H120S | JCB HM660 | JCB HM1350



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18C1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

RAMMER S56

CATERPILLAR CAT C130 | DAINONG DNB D70 / 90 | JCB HM760



FIGURE 315

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM19P1100	109.4
Chisel	130	1100	RM19C1100	109.4
Blunt	130	1000	RM19B1000	99.5

RAMMER S82



FIGURE 316

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM20P1200	138.5
Chisel	140	1200	RM20C1200	138.5
Blunt	140	1050	RM20B1050	121.2

RAMMER S83

CATERPILLAR CAT 140 / B140S / H140AS | DAINONG DNB D110



FIGURE 317

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM21P1200	138.5
Chisel	140	1200	RM21C1200	138.5
Blunt	140	1050	RM21B1050	121.2

RAMMER S84

CATERPILLAR CAT 160 / B160 / H160AS | JCB HM960



FIGURE 318

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1350	RM22P1350	203.5
Chisel	160	1350	RM22C1350	203.5
Blunt	160	1200	RM22B1200	180.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
69

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER S86

CATERPILLAR CAT 170 / B170 / H170 | DAINONG DNB D160



FIGURE 319

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM23P1450	246.7
Chisel	169	1450	RM23C1450	246.7
Blunt	169	1300	RM23B1300	221.2

RAMMER E63

JCB HM1150 | VOLVO HB100




FIGURE 320

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	RM34P1000	77.9
Chisel	115	1000	RM34C1000	77.9


Demolition Tools Catalogue

RAMMER

FIGURE 321

RAMMER E64

CATERPILLAR CAT H115S | JCB HM1050 | O&K H200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	1050	RM30P1050	69.5
Point	106	1150	RM30P1150	76.1
Chisel	106	1050	RM30C1050	69.5
Chisel	106	1150	RM30C1150	76.1

FIGURE 322

RAMMER E65

JCB HM1450 | VOLVO HB1400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM33P1050	96.6
Chisel	125	1050	RM33C1050	96.6
Blunt	125	850	RM33B0850	78.2

FIGURE 323

RAMMER E66 / S55

O&K H260



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18C1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

FIGURE 324

RAMMER E68

CATERPILLAR CAT H130S | JCB HM1750 | O&K H310 | VOLVO HB1700



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM32P1100	109.4
Point	130	1200	RM32P1200	119.4
Chisel	130	1100	RM32C1100	109.4
Chisel	130	1200	RM32C1200	119.4
Blunt	130	900	RM32B0900	89.5

FIGURE 325

RAMMER G80

CATERPILLAR CAT H140CS / 140DS | JCB HM2350 | O&K H380 | VOLVO HB2400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM35P1200	138.5
Chisel	140	1200	RM35C1200	138.5
Blunt	140	1050	RM35B1050	121.2

FIGURE 326

RAMMER G88



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1200	RM46P1200	142.5
Chisel	142	1200	RM46C1200	142.5
Blunt	142	1050	RM46B1050	124.7

RAMMER G90

CATERPILLAR CAT H160CS / H160DS | JCB HM2950 | O&K H530 | VOLVO HB3200



FIGURE 327

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1400	RM36P1400	211.0
Chisel	159	1400	RM36C1400	211.0
Blunt	159	1250	RM36B1250	188.4

RAMMER G99



FIGURE 328

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1450	SV3P1450	235.2
Chisel	165	1450	SV3C1450	235.2
Blunt	165	1250	SV3B1250	202.8

RAMMER G100

CATERPILLAR CAT H180S | JCB HM3850




FIGURE 329

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM41P1450	246.7
Chisel	169	1450	RM41C1450	246.7
Blunt	169	1300	RM41B1300	221.2

RAMMER G110

CATERPILLAR H180DS | JCB HM3950 | O&K H700 | VOLVO HB3800



FIGURE 330

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1450	RM42P1450	261.4
Chisel	175	1450	RM42C1450	261.4
Blunt	175	1300	RM42B1300	234.4

RAMMER G120

CATERPILLAR CAT 195 / B195 / H195



FIGURE 331

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	195	1500	RM40P1500	335.8
Chisel	195	1500	RM40C1500	335.8
Blunt	195	1350	RM40B1350	302.2

RAMMER G130



FIGURE 332

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	203	1550	RM43P1550	376.1
Chisel	203	1550	RM43C1550	376.1
Blunt	203	1400	RM43B1400	339.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
71

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

RAMMER

FIGURE 333

RAMMER M14



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1100	RM44P1100	101.2
Chisel	125	1100	RM44C1100	101.2

FIGURE 334

RAMMER M18




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM45P1200	138.5
Chisel	140	1200	RM45C1200	138.5
Blunt	140	1100	RM45B1100	126.9

FIGURE 335

RAMMER BR111

KUBOTA KXB 310 | ROBI MH7




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	360	KB10P0360	2.7
Chisel	36	360	KB10C0360	2.7

FIGURE 336

RAMMER BR222


KUBOTA KXB 360 | ROBI MH11



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	400	CB11P0400	4.2
Chisel	42	400	CB11C0400	4.2

FIGURE 337

RAMMER BR255



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	380	CT10P0380	3.6
Chisel	40	380	CT10C0380	3.6

FIGURE 338

RAMMER BR321

KUBOTA KXB 400 / BTB400




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	RM11P0480	5.7
Point	45	560	RM11P0560	6.7
Chisel	45	480	RM11C0480	5.7
Chisel	45	560	RM11C0560	6.7

FIGURE 339

RAMMER BR333

KUBOTA KXB 460 | ROBI MH15



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	CB12P0500	7.4
Chisel	50	500	CB12C0500	7.4

RAMMER BR422

KUBOTA KXB 450



FIGURE 340

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	600	RM25P0600	8.8
Chisel	50	600	RM25C0600	8.8

RAMMER BR455




FIGURE 341

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	520	CT30P0520	9.6
Chisel	56	520	CT30C0520	9.6

RAMMER BR555




FIGURE 342

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	72	650	SV13P0650	19.8
Chisel	72	650	SV13C0650	19.8

RAMMER BR623

KUBOTA KXB 500




FIGURE 343

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	680	RM12P0680	15.9
Chisel	63	680	RM12C0680	15.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



RAMMER BR777




FIGURE 344

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	750	SV14P0750	28.3
Chisel	80	750	SV14C0750	28.3



RAMMER BR825

KUBOTA KXB 600



FIGURE 345

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM14P0730	21.1
Point	70	830	RM14P0830	23.9
Chisel	70	730	RM14C0730	21.1
Chisel	70	830	RM14C0830	23.9

PAGE
73

RAMMER BR927




FIGURE 346

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	84	840	RM27P0840	34.9
Chisel	84	840	RM27C0840	34.9

Demolition Tools Catalogue
RAMMER

FIGURE 347

RAMMER BR999



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	SV15P0850	40.5
Chisel	90	850	SV15C0850	40.5

FIGURE 348

RAMMER BR1129



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	RM24P0900	47.8
Chisel	95	900	RM24C0900	47.8

FIGURE 349

RAMMER BR1533



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1000	SV17P1000	64.9
Chisel	105	1000	SV17C1000	64.9

FIGURE 350

RAMMER BR2063



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	RM34P1000	77.9
Chisel	115	1000	RM34C1000	77.9

FIGURE 351

RAMMER BR2064



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	1050	RM30P1050	69.5
Point	106	1150	RM30P1150	76.1
Chisel	106	1050	RM30C1050	69.5
Chisel	106	1150	RM30C1150	76.1

FIGURE 352

RAMMER BR2155



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1050	SV10P1050	86.1
Chisel	118	1050	SV10C1050	86.1

FIGURE 353

RAMMER BR2214



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM44P1050	96.6
Chisel	125	1050	RM44C1050	96.6

RAMMER BR2265



FIGURE 354

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM33P1050	96.6
Chisel	125	1050	RM33C1050	96.6
Blunt	125	850	RM33B0850	78.2

RAMMER BR2266




FIGURE 355

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18P1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

RAMMER BR2568




FIGURE 356

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM32P1100	109.4
Point	130	1200	RM32P1200	119.4
Chisel	130	1100	RM32C1100	109.4
Chisel	130	1200	RM32C1200	119.4
Blunt	130	900	RM32B0900	89.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922

RAMMER BR2577



FIGURE 357

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	SV11P1100	118.0
Chisel	135	1100	SV11C1100	118.0
Blunt	135	1100	SV11B1100	118.0



RAMMER BR2518



FIGURE 358

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM45P1200	138.5
Chisel	140	1200	RM45C1200	138.5
Blunt	140	1100	RM45B1100	126.9



RAMMER BR3088 / 3288




FIGURE 359

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1200	RM46P1200	142.5
Chisel	142	1200	RM46C1200	142.5
Blunt	142	1050	RM46B1050	124.7

PAGE 75

Demolition Tools Catalogue
RAMMER

FIGURE 360

RAMMER BR3890



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1400	RM36P1400	211.0
Chisel	159	1400	RM36C1400	211.0
Blunt	159	1250	RM36B1250	188.4

FIGURE 361

RAMMER BR4099



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1450	SV3P1450	235.2
Chisel	165	1450	SV3C1450	235.2
Blunt	165	1250	SV3B1250	202.8

FIGURE 362

RAMMER BR4510

CATERPILLAR H180S / JCB HM3850



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM41P1450	246.7
Chisel	169	1450	RM41C1450	246.7
Blunt	169	1300	RM41B1300	221.2

FIGURE 363

RAMMER BR4511



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1450	RM42P1450	261.4
Chisel	175	1450	RM42C1450	261.4
Blunt	175	1300	RM42B1300	234.4

FIGURE 364

RAMMER BR5011



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1550	SV18P1550	329.4
Chisel	190	1550	SV18C1550	329.4
Blunt	190	1400	SV18B1400	297.6

FIGURE 365

RAMMER BR7013



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	203	1700	RM43P1700	412.5
Chisel	203	1700	RM43C1700	412.5
Blunt	203	1550	RM43B1550	376.1

ROTAIR OL50



FIGURE 366

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

ROTAIR OL90 (WITH COLLAR)

OMAL 80S | PEL-JOB MH90




FIGURE 367

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	480	PJ11P0480	6.5
Chisel	48	480	PJ11C0480	6.5

ROTAIR OL90/95

IDROMECCANICA IMI 88 | PEL-JOB MH95



FIGURE 368

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	480	RT11P0480	6.5
Chisel	48	480	RT11C0480	6.5

ROTAIR OL130/160




FIGURE 369

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	54	500	RT14P0500	8.6
Chisel	54	500	RT14C0500	8.6

ROTAIR OL180/260

PEL-JOB MH180




FIGURE 370

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	550	RT12P0550	15.0
Chisel	68	550	RT12C0550	15.0

ROTAIR OL250/330




FIGURE 371

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	78	600	RT13P0600	20.9
Chisel	78	600	RT13C0600	20.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
77

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
SOCOMECH

FIGURE 372


SOCOMECH DMS 50



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	350	S028P0350	4.2
Chisel	45	350	S028C0350	4.2

FIGURE 373


SOCOMECH DMS 95



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	S025P0480	5.7
Chisel	45	480	S025C0480	5.7

FIGURE 374


SOCOMECH DMS 160



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	570	S026P0570	10.2
Chisel	55	570	S026C0570	10.2

FIGURE 375


SOCOMECH DMS 210



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	680	S035P0680	15.4
Chisel	62	680	S035C0680	15.4

FIGURE 376


SOCOMECH DMS 220



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	600	S021P0600	14.9
Chisel	65	600	S021C0600	14.9

FIGURE 377

SOCOMECH DMS 270



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	660	S024P0660	18.0
Chisel	68	660	S024C0660	18.0

SOCOMECA DMS 330

MDO 250 / 260




FIGURE 378

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	72	700	S023P0700	21.4
Chisel	72	700	S023C0700	21.4

SOCOMECA MDO300




FIGURE 379

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	73	700	BE13P0700	22.0
Chisel	73	700	BE13C0700	22.0

SOCOMECA DMS 410




FIGURE 380

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	720	S013P0720	27.1
Chisel	80	720	S013C0720	27.1

SOCOMECA DMS 430 / MDO 450




FIGURE 381

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	780	S027P0780	33.2
Chisel	85	780	S027C0780	33.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



SOCOMECA MDO 500




FIGURE 382

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	S010P0850	45.2
Chisel	95	850	S010C0850	45.2



SOCOMECA DMS 740

SOCOMECA DMS 680 / 850 / 910




FIGURE 383

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	S034P0900	47.8
Chisel	95	900	S034C0900	47.8

PAGE
79

SOCOMECA MDO 550





FIGURE 384

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	970	S011P0970	51.5
Chisel	95	970	S011C0970	51.5

Demolition Tools Catalogue
SOCOMECH

FIGURE 385


SOCOMECH MDO 750



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	S012P1050	81.8
Chisel	115	1050	S012C1050	81.8

FIGURE 386


SOCOMECH MDO 900V



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	117	1000	S019P1000	82.0
Chisel	117	1000	S019C1000	82.0

FIGURE 387


SOCOMECH MDO 1450



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	129	1150	S014P1150	112.7
Chisel	129	1150	S014C1150	112.7
Blunt	129	1050	S014B1050	102.9

FIGURE 388


SOCOMECH MDO 1950



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1250	S020P1250	144.2
Chisel	140	1250	S020C1250	144.2
Blunt	140	1150	S020B1150	132.7

FIGURE 389


SOCOMECH MDO 2050



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1330	S017P1330	188.1
Chisel	155	1330	S017C1330	188.1
Blunt	155	1200	S017B1200	169.7

FIGURE 390


SOCOMECH MDO 3000 / 3200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	163	1400	S022P1400	219.0
Chisel	163	1400	S022C1400	219.0
Blunt	163	1250	S022B1250	195.5

FIGURE 391

SOCOMECH MDO 4000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	178	1480	S036P1480	276.1
Chisel	178	1480	S036C1480	276.1
Blunt	178	1300	S036B1300	242.5

SOOSAN SB10




FIGURE 392

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	SS18P0450	4.2
Chisel	40	450	SS18C0450	4.2

SOOSAN SB20




FIGURE 393

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	500	SS12P0500	6.0
Chisel	45	500	SS12C0500	6.0

SOOSAN SB30




FIGURE 394

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	570	SS10P0570	9.4
Chisel	53	570	SS10C0570	9.4

SOOSAN SB35




FIGURE 395

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	600	SS26P0600	12.7
Chisel	60	600	SS26C0600	12.7

SOOSAN SB40




FIGURE 396

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	710	SS11P0710	19.3
Chisel	68	710	SS11C0710	19.3

SOOSAN SB43




FIGURE 397

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	800	SS22P0800	26.5
Chisel	75	800	SS22C0800	26.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922




PAGE
81

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
SOOSAN

FIGURE 398


SOOSAN SB45



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	850	SS13P0850	36.2
Chisel	85	850	SS13C0850	36.2

FIGURE 399


SOOSAN SB50



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	SS14P1000	58.9
Chisel	100	1000	SS14C1000	58.9

FIGURE 400


SOOSAN SB60



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	SS16P1050	96.6
Chisel	125	1050	SS16C1050	96.6

FIGURE 401


SOOSAN SB70 / 71



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	SS28P1100	118.0
Chisel	135	1100	SS28C1100	118.0

FIGURE 402


SOOSAN SB81



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	SS20P1200	138.5
Chisel	140	1200	SS20C1200	138.5
Blunt	140	1100	SS30B1100	126.9

FIGURE 403

SOOSAN SB100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	SS23P1300	172.2
Chisel	150	1300	SS23C1300	172.2
Blunt	150	1200	SS23B1200	159.0

SOOSAN SB121

SOOSAN 120A




FIGURE 404

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1300	SS19P1300	183.9
Chisel	155	1300	SS19C1300	183.9
Blunt	155	1200	SS19B1200	169.7

SOOSAN SB130/140




FIGURE 405

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1400	SS24P1400	224.4
Chisel	165	1400	SS24C1400	224.4
Blunt	165	1250	SS24B1250	200.4

SOOSAN SB151

DEHACO DBH380




FIGURE 406

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1600	SS21P1600	288.5
Chisel	175	1600	SS21C1600	288.5
Blunt	175	1450	SS21B1450	261.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
83


Demolition Tools Catalogue

TOKU

FIGURE 407

TOKU TNB-08M

HUPPI 52 | KOMATSU JTHB08




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	TK30P0450	4.2
Chisel	40	450	TK30C0450	4.2

FIGURE 408

TOKU TNB-08E / 1M

HUPPI 72 | KOMATSU JTHB10




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	470	TK29P0470	5.6
Chisel	45	470	TK29C0470	5.6

FIGURE 409

TOKU TNB-1E / 2M

DRAGO DRH50 / 60 / 70 / 80 | INAN MAKINA (MTB) MT 15 | KOMATSU JTHB20 | MTB MT15 | TELEDYNE TB120 / 125




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	TK11P0500	7.4
Point	50	600	TK11P0600	8.8
Chisel	50	500	TK11C0500	7.4
Chisel	50	600	TK11C0600	8.8

FIGURE 410

TOKU TNB-2E/3M

DRAGO DRH120 | HUPPI 102 | KOMATSU JTHB30 | TELEDYNE TB180 / 225




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	650	TK12P0650	12.9
Point	58	700	TK12P0700	13.9
Chisel	58	650	TK12C0650	12.9
Chisel	58	700	TK12C0700	13.9

FIGURE 411

TOKU TNB-3E / 4M

DRAGO DRH150 | KOMATSU JTHB40 | TELEDYNE TB275 / TB285




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	64	650	TK20P0650	15.7
Point	64	700	TK20C0700	16.9
Chisel	64	650	TK20C0650	15.7
Chisel	64	700	TK20C0700	16.9

FIGURE 412

TOKU TNB-4E / 5M

DRAGO DRH180 / 250 | HUPPI 302 | KOMATSU JTHB50 | TELEDYNE TB220 / 325



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	650	TK13P0650	21.5
Point	75	720	TK13C0720	23.8
Chisel	75	650	TK13C0650	21.5
Chisel	75	720	TK13C0720	23.8

TOKU TNB-6E / 7M

DRAGO DRH280 | HUPPI 402 | KOMATSU JTHB60 / 65 | TELEDYNE TB400 / 425 / 625




FIGURE 413

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	760	TK14P0760	40.4
Point	95	850	TK14P0850	45.2
Chisel	95	760	TK14C0760	40.4
Chisel	95	850	TK14C0850	45.2

TOKU TNB-7J




FIGURE 414

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	TK34P1050	68.2
Chisel	105	1050	TK34C1050	68.2

TOKU TNB-7E / 10E

DRAGO DRH650S / 900 | HUPPI 902 | KOMATSU JTHB100 | TELEDYNE TB700 / 725 / 750 / 825



FIGURE 415

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	950	TK15P0950	74.0
Point	115	1000	TK15P1000	77.9
Chisel	115	950	TK15C0950	74.0
Chisel	115	1000	TK15C1000	77.9

TOKU TNB-14E / 16E

DRAGO DRH1150S / 1600S | TELEDYNE TB900 / 925 / 975 / 1000 / 1025




FIGURE 416

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1150	TK16P1150	123.4
Chisel	135	1150	TK16C1150	123.4
Blunt	135	1050	TK16B1050	112.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
85

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

TOKU TNB-22E / 23E

DRAGO DRH1900 | TELEDYNE TB1300 / 1425




FIGURE 417

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	TK18P1300	163.1
Chisel	146	1300	TK18C1300	163.1
Blunt	146	1150	TK18B1150	144.3

TOKU TNB-30E / 31E

TELEDYNE TB1825 / 2075




FIGURE 418

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1500	TK19P1500	226.1
Chisel	160	1500	TK19C1500	226.1
Blunt	160	1350	TK19B1350	203.5




Demolition Tools Catalogue

TOKU

FIGURE 419

TOKU TNB-100

TELEDYNE TB830




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	TK21P1050	81.8
Chisel	115	1050	TK21C1050	81.8

FIGURE 420

TOKU TNB-150

HUPPI 1900 / 1902 | KOMATSU JTHB150 | TELEDYNE TB980




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1180	TK22P1180	126.6
Point	135	1270	TK22P1270	136.3
Chisel	135	1180	TK22C1180	126.6
Chisel	135	1270	TK22C1270	136.3
Blunt	135	1100	TK22B1100	118.0

FIGURE 421

TOKU TNB-190

KOMATSU JTHB190




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	139	1200	TK25P1200	136.5
Chisel	139	1200	TK25C1200	136.5
Blunt	139	1100	TK25B1100	125.1

FIGURE 422

TOKU TNB-230

KOMATSU JTHB230 | TELEDYNE TB1680




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1220	TK23P1220	153.1
Chisel	146	1220	TK23C1220	153.1
Blunt	146	1100	TK23B1100	138.0

FIGURE 423

TOKU TNB-310

KOMATSU JTHB310 | TELEDYNE TB2080




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1350	TK27P1350	203.5
Chisel	160	1350	TK27C1350	203.5
Blunt	160	1200	TK27B1200	180.9

FIGURE 424

TOKU TNB-400

KOMATSU JTHB400 | TELEDYNE TB2580



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	178	1550	TK32P1550	289.1
Chisel	178	1550	TK32C1550	289.1
Blunt	178	1400	TK32B1400	261.2

TOYO THBB31

DEHACO DHB 35 | KOMATSU JKHB31 | TAKEUCHI TKB-31




FIGURE 425

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	30	350	T018P0350	1.9
Chisel	30	350	T018C0350	1.9

TOYO THBB51

DEHACO DHB 55 | KOMATSU JKHB51 | TAKEUCHI TKB-51



FIGURE 426

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	400	T019P0400	4.2
Chisel	42	400	T019C0400	4.2

TOYO THBB71

DEHACO DHB 75 | KOMATSU JKHB71 | TAKEUCHI TKB-71




FIGURE 427

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	T011P0450	5.4
Chisel	45	450	T011C0450	5.4

TOYO THBB101

DEHACO DHB165 | KOMATSU JKHB101 | TAKEUCHI TKB-101




FIGURE 428

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	550	T012P0550	10.5
Chisel	57	550	T012C0550	10.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
87

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

TOYO THBB201

KOMATSU JKHB201 | TAKEUCHI TKB-201




FIGURE 429

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	700	T023P0700	20.2
Chisel	65	700	T023C0700	20.2

TOYO THBB301

DEHACO DHB 305 | KOMATSU JKHB301 | TAKEUCHI TKB-301



FIGURE 430

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	750	T013P0750	21.6
Chisel	70	750	T013C0750	21.6

Demolition Tools Catalogue

TOYO

FIGURE 431

TOYO THBB401

DEHACO DHB 405 | KOMATSU JKHB401 | TAKEUCHI TKB-401



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	T014P0900	33.9
Chisel	80	900	T014C0900	33.9

FIGURE 432

TOYO THBB801

DEHACO DHB 805 | DEHACO DHB 3205 (4105) | KOMATSU JKHB801 | TAKEUCHI TKB-801




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	960	T015P0960	56.5
Chisel	100	960	T015C0960	56.5

FIGURE 433

TOYO THBB1101

DEHACO DHB 1250 | KOMATSU JKHB1101 | TAKEUCHI TKB-1101




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1050	T020P1050	89.0
Chisel	120	1050	T020C1050	89.0

FIGURE 434

TOYO THBB1401

DEHACO DHB 1305 | KOMATSU JKHB1401 | TAKEUCHI TKB-1401




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1050	T016P1050	104.5
Chisel	130	1050	T016C1050	104.5

FIGURE 435

TOYO THBB1600

DEHACO DHB 1605 (1405) | KOMATSU JKHB 1500 / 1600 | TAKEUCHI TKB-1600




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	137	1120	T021P1120	123.8
Chisel	137	1120	T021C1120	123.8
Blunt	137	1020	T021B1020	112.7

FIGURE 436

TOYO THBB2000

DEHACO DHB 2305 | KOMATSU JKHB2000 | TAKEUCHI TKB-2000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	T017P1250	165.6
Chisel	150	1250	T017C1250	165.6
Blunt	150	1150	T017B1150	152.3

TOYO THBB3000

KOMATSU JKHB3000 | TAKEUCHI TKB-3000




FIGURE 437

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	T022P1400	211.0
Chisel	160	1400	T022C1400	211.0
Blunt	160	1250	T022B1250	188.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
89

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue
CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
AC10	ATLAS COPCO SB100 / SBC 115 ATLAS COPCO TEX 100H / 75H KUBOTA KM100	19	16
AC12	ATLAS COPCO TEX250H	25	17
AC12	ATLAS COPCO TEX 250H SCALER	26	17
AC14	ATLAS COPCO SB702 ATLAS COPCO HBC 1100 / 1700 ATLAS COPCO TEX 600H / 700H / 900H	29	17
AC15	ATLAS COPCO HBC 2500 ATLAS COPCO TEX 1400H	30	18
AC16	ATLAS COPCO HBC 4000 ATLAS COPCO TEX 1800H / 2000H CHICAGO PNEUMATIC (CP) CP2350	31	18
AC17	ATLAS COPCO SB150 / SB152 SBC 255 ATLAS COPCO TEX 110H BROKK 90 JCB HM165 KUBOTA KM150	21	16
AC18	ATLAS COPCO SB200 / SB202/SBC 410 ATLAS COPCO TEX 180H BROKK 160 / 180 JCB HM265 KUBOTA KM200	22	16
AC20	ATLAS COPCO SB450 / SBC 800 / 850 / SB452 ATLAS COPCO TEX 400H / HS BROKK 330 JCB HM495 KUBOTA KM450	27	17
AC21	ATLAS COPCO SB50 / SBC 60 ATLAS COPCO TEX 30 BROKK 40 KUBOTA KM10	17	15
AC22	ATLAS COPCO SB300 / SB302 / SBC 610 / SBC650 BROKK 250 / 260 JCB HM385 / 386Q KUBOTA KM300	23	16
AC23	ATLAS COPCO SB300 SCALER	24	17
AC24	ATLAS COPCO MB1000 BROKK 800 JCB HM3060	36	19
AC25	ATLAS COPCO SB102	20	16
AC26	ATLAS COPCO SB52 BROKK 50	18	16
AC28	ATLAS COPCO SB552 BROKK 400	28	17
AC29	ATLAS COPCO HBC 6000	32	18
AC30	ATLAS COPCO HB2500 CHICAGO PNEUMATIC (CP) RX38	43	20
AC32	ATLAS COPCO MB1500	38	19
AC33	ATLAS COPCO MB750	35	18
AC34	ATLAS COPCO HB3600	45	20
AC35	ATLAS COPCO HB4700	47	21
AC38	ATLAS COPCO HB2000	41	19
AH10	ARROWHEAD S20	2	13
AH11	ARROWHEAD S30 MK1 (WITH COLLAR)	3	13
AH12	ARROWHEAD S30 MK3 (WITHOUT COLLAR)	4	13
AH12	ARROWHEAD S40	5	13
AH13	ARROWHEAD S50	6	13
AH14	ARROWHEAD S60	7	13
AH16	ARROWHEAD 10T / S100	8	14
AH17	ARROWHEAD S10	1	13
AH18	ARROWHEAD S230	11	14
AH19	ARROWHEAD S180	10	14
AH23	ARROWHEAD S130	9	14
BE13	SOCOME MDO 300	379	79
CB11	KUBOTA KXB 360 RAMMER / SANDVIK BR222 ROBI MH11	336	72
CB12	KUBOTA KXB 460 RAMMER / SANDVIK BR333 ROBI MH15	339	72
CT10	CATERPILLAR CAT H35DS	50	22
CT10	RAMMER / SANDVIK BR255	337	72
CT20	CATERPILLAR CAT H45DS RAMMER / SANDVIK BR355	51	22
CT21	CATERPILLAR CAT H35ES	54	22
CT22	CATERPILLAR CAT H45ES	55	22
CT23	CATERPILLAR CAT H55ES	56	22
CT24	CATERPILLAR CAT H65ES	57	23
CT30	CATERPILLAR CAT H55DS	52	22
CT30	RAMMER / SANDVIK BR455	341	73
CT31	CATERPILLAR CAT H65DS	53	22
CT32	CATERPILLAR CAT H110ES	60	23
CT33	CATERPILLAR CAT H115ES	61	23

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
CT34	CATERPILLAR CAT H120ES	62	23
CT35	CATERPILLAR CAT H130ES	63	23
CT36	CATERPILLAR CAT H75ES	58	23
CT37	CATERPILLAR CAT H160ES	65	24
CT38	CATERPILLAR CAT H140ES	64	24
CT39	CATERPILLAR CAT H180ES	66	24
CT40	CATERPILLAR CAT H95ES	59	23
ED10	EVERDIGM EHB008 PRODEM PRB008	67	25
ED11	EVERDIGM EHB01 / EHB02 PRODEM PRB010	68	25
ED12	EVERDIGM EHB03 PRODEM PRB030	69	25
ED13	EVERDIGM EHB04 PRODEM PRB040	70	25
ED14	EVERDIGM EHB13 PRODEM PRB130	74	26
ED15	EVERDIGM EHB17 PRODEM PRB170	75	26
ED16	EVERDIGM EHB05 PRODEM PRB050	71	25
ED16	EVERDIGM EHB10 PRODEM PRB100	73	26
ED18	EVERDIGM EHB20 PRODEM PRB200	76	26
ED20	EVERDIGM EHB25 PRODEM PRB250	77	27
ED21	EVERDIGM EHB30 PRODEM PRB300	78	27
ED22	EVERDIGM EHB40 PRODEM PRB400	79	27
ED23	EVERDIGM EHB50 PRODEM PRB500	80	27
ED24	EVERDIGM EHB60 PRODEM PRB600	72	26
FU21	FURUKAWA F1 / FX15 KENT KF1	81	28
FU21	FURUKAWA HB1G KENT KHB1G	96	30
FU21	ROTAIR OL50	366	77
FU22	DAINONG (DNB) DNB K20 FURUKAWA F2 KENT KF2	82	28
FU22	FURUKAWA HB2G KENT KHB2G	97	30
FU23	DAINONG (DNB) DNB K25 DEMOTER (VISTIRINI) DM160RE FURUKAWA HB3G KENT KHB3G	98	30
FU24	DAINONG (DNB) DNB K30 FURUKAWA HB5G KENT KHB5G	99	31
FU25	FURUKAWA HB8G KENT KHB8G	100	31
FU26	DAINONG (DNB) DNB K50 FURUKAWA HB10G KENT KHB10G	101	31
FU27	DEHACO DHB1500S / DHB120 FURUKAWA HB15G KENT KHB15G	102	31
FU28	DAINONG (DNB) DNB K80 / 100 DEHACO DHB2000S FURUKAWA HB20G KENT KHB20G	103	31
FU29	DAINONG (DNB) DNB K120 DEHACO DHB3600S FURUKAWA HB30G KENT KHB30G	104	31
FU30	FURUKAWA HB40G KENT KHB40G	105	32
FU32	FURUKAWA F3 / FX35 KENT KF3	83	28
FU33	FURUKAWA F4 KENT KF4	84	28
FU33	FURUKAWA FXJ / FX275	108	32
FU34	DEMOTER (VISTIRINI) DM240RE FURUKAWA F5 KENT KF5	85	28
FU35	FURUKAWA F6 KENT KF6	86	28
FU37	FURUKAWA F9 KENT KF9	87	29
FU38	FURUKAWA F12 KENT KF12	88	29
FU39	FURUKAWA F19 KENT KF19	89	29
FU40	FURUKAWA F20 / F22 KENT KF22	90	29
FU41	FURUKAWA F27 KENT KF27	91	29
FU42	FURUKAWA F30 / F35 KENT KF35	92	29
FU43	FURUKAWA F45 KENT KF45	93	30
FU44	FURUKAWA F70 KENT KF70	94	30
FU46	FURUKAWA F100 FURUKAWA HB100G KENT KF100	95	30
FU51	FURUKAWA FXJ / FX125	106	32
FU52	FURUKAWA FXJ / FX175	107	32
FU54	FURUKAWA FXJ / FX375	109	32
FU55	FURUKAWA FXJ / FX475	110	32
HW11	HANWOO / RHINO / MAGNUM RHB 301-V / 302-V	111	33

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
HW12	HANWOO / RHINO / MAGNUM RHB 302 / 303-V	112	33
HW13	HANWOO / RHINO / MAGNUM RHB 303 / 303-VP	113	33
HW14	HANWOO / RHINO / MAGNUM RHB 305 / 305-V	114	33
HW15	HANWOO / RHINO / MAGNUM RHB 308	116	33
HW16	HANWOO / RHINO / MAGNUM RHB 313-V / 314	118	34
HW17	HANWOO / RHINO / MAGNUM RHB 322-2 / 323 / 325	120	34
HW18	HANWOO / RHINO / MAGNUM RHB 328-2 / 330	121	34
HW21	HANWOO / RHINO / MAGNUM RHB 306	115	33
HW23	HANWOO / RHINO / MAGNUM RHB 340	122	34
HW25	HANWOO / RHINO / MAGNUM RHB 308-2 / 309	117	34
HW28	HANWOO / RHINO / MAGNUM RHB 320	119	34
IN11	EURORAM / GLOBORAM / ROCKMASTER RM65 INDECO HB5 INDECO MES / UP 451 / 452 / 462P / 521 / 550 / HP500	126	35
IN12	EURORAM / GLOBORAM / ROCKMASTER RM80 INDECO HB8	128	35
IN13	EURORAM / GLOBORAM / ROCKMASTER RM85 / 90 INDECO HB12 INDECO MES / UP 1200.HP1200	131	36
IN15	EURORAM / GLOBORAM / ROCKMASTER RM110 INDECO HB19 INDECO MES / UP 1500 / HP1500	132	36
IN16	EURORAM / GLOBORAM / ROCKMASTER RM120 INDECO HB27 INDECO MES / UP 2000 / HP2000	134	36
IN17	EURORAM / GLOBORAM / ROCKMASTER RM48 INDECO MES / UP 180 / 181 / 200P / HP200	124	35
IN18	EURORAM / GLOBORAM / ROCKMASTER RM56 INDECO MES / UP 300 / 301 / 350P / 351P / HP300 / 350	125	35
IN19	INDECO MES / UP 601 / 621 / 650P / HP700	129	36
IN20	EURORAM / GLOBORAM / ROCKMASTER RM130 INDECO MES / UP 2500 / HP2500	135	37
IN21	EURORAM / GLOBORAM / ROCKMASTER RM145 INDECO MES / UP 3500 / HP3500	138	37
IN22	EURORAM / GLOBORAM / ROCKMASTER RM160 INDECO MES / UP 5000 / HP5000	140	37
IN23	EURORAM / GLOBORAM / ROCKMASTER RM45 INDECO MES / UP 121 / 150P / HP150	123	35
IN24	EURORAM / GLOBORAM / ROCKMASTER RM140 INDECO MES / UP 3000 / HP3000	137	37
IN25	EURORAM / GLOBORAM / ROCKMASTER RM180 INDECO MES / UP 7000 / HP7000	141	38
IN26	EURORAM / GLOBORAM / ROCKMASTER RM195 INDECO MES / UP 8500 / HP9000	142	38
IN28	EURORAM / GLOBORAM / ROCKMASTER RM150 INDECO MES / UP 4000 / 4001 / HP4000	139	37
IN29	EURORAM / GLOBORAM / ROCKMASTER RM75 INDECO MES / UP 553P / HP600	127	35
IN31	EURORAM / GLOBORAM / ROCKMASTER RM88 INDECO UP 900 / HP900	130	36
IN33	INDECO HP2750	136	37
IT24	ITALDEM GK 85 / 86 STAR SH91	143	39
IT25	ITALDEM GK 160 / 161 STAR SH151 / 161	144	39
IT27	ITALDEM GK 211 STAR SH200	145	39
IT28	ITALDEM GK 290 / 291 STAR SH281	146	39
IT29	ITALDEM GK 360 / 361	147	39
IT30	ITALDEM GK 600 / 610 / 620 STAR SH561 / 562	148	39
IT31	ITALDEM GK 950 / 960 STAR SH991	149	40
IT32	ITALDEM GK 1350 / 1351 STAR SH1401	151	40
IT33	ITALDEM GK 1600	153	40
IT34	ITALDEM GK 2400	155	41
IT35	ITALDEM GK 3400 / 3500	156	41
IT36	ITALDEM GK 1351S STAR SH1402	152	40
IT37	ITALDEM GK 3800	157	41
IT38	ITALDEM GK 1800	154	40
IT39	ITALDEM GK 1050 STAR SH992	150	40
KB10	KUBOTA KXB 310 RAMMER / SANDVIK BR111 ROBI MH7	335	72
KR10	KRUPP (SEE ALSO ATLAS COPCO) HM45	158	42

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
KR11	ALLIED HY-RAM 700 KRUPP (SEE ALSO ATLAS COPCO) HM50 / 55	159	42
KR12	ALLIED HY-RAM 710 / 711 KRUPP (SEE ALSO ATLAS COPCO) HM60 / 61 / 62 / 75	161	42
KR14	ALLIED HY-RAM 715 KRUPP (SEE ALSO ATLAS COPCO) HM130 / 135 / 140 / 140V	163	42
KR15	ALLIED HY-RAM 725 KRUPP (SEE ALSO ATLAS COPCO) HM170 / 185 / 190 / 190V	164	43
KR16	ALLIED HY-RAM 77 KRUPP (SEE ALSO ATLAS COPCO) HM200	165	43
KR17	ALLIED HY-RAM 730 DEMOTER (VISTIRINI) S430 KRUPP (SEE ALSO ATLAS COPCO) HM300 / 301 / 305	167	43
KR19	ALLIED HY-RAM 740 KRUPP (SEE ALSO ATLAS COPCO) HM550 / 551 / 555 / 560CS / V	169	43
KR20	ALLIED HY-RAM 88 KRUPP (SEE ALSO ATLAS COPCO) HM600 / 601	171	44
KR21	ALLIED HY-RAM 750 KRUPP (SEE ALSO ATLAS COPCO) HM700 / 701 / 702 / 705 / 706	172	44
KR22	ALLIED HY-RAM 750B CHICAGO PNEUMATIC (CP) CP1150 JCB HM1260 / HM1270Q KRUPP (SEE ALSO ATLAS COPCO) HM710 / 711 / 712 / 715 / 720CS / V	173	44
KR25	ATLAS COPCO MB1600 JCB HM1560	39	19
KR25	ALLIED HY-RAM 770B CHICAGO PNEUMATIC (CP) CP1550 / CP1650 / RX22 KRUPP (SEE ALSO ATLAS COPCO) HM950 / 951 / 952 / 957 / 960CS / V	175	44
KR28	ATLAS COPCO HB2200 JCB HM2460	42	20
KR28	ALLIED HY-RAM 785 CHICAGO PNEUMATIC (CP) CP2250 / RX29 / RX30 KRUPP (SEE ALSO ATLAS COPCO) HM1500MV / HB2200	177	45
KR29	ALLIED HY-RAM 795CS KRUPP (SEE ALSO ATLAS COPCO) HM2000MV	178	45
KR30	ATLAS COPCO HB4200 CHICAGO PNEUMATIC (CP) CP4250 / RX53 / RX54 JCB HM4160	46	20
KR30	ALLIED HY-RAM 800 / 805 KRUPP (SEE ALSO ATLAS COPCO) HM2500MV / 2600 / HB4200	180	45
KR31	ALLIED HY-RAM 711B KRUPP (SEE ALSO ATLAS COPCO) HM85 / 90 / 90V	162	42
KR32	ATLAS COPCO MB500	33	18
KR32	ALLIED HY-RAM 735 KRUPP (SEE ALSO ATLAS COPCO) HM350 / 350V / MB500	168	43
KR33	ATLAS COPCO HB7000	49	21
KR33	ALLIED HY-RAM 905 KRUPP (SEE ALSO ATLAS COPCO) HM4000 / HB7000	182	46
KR34	ALLIED AS380 ATLAS COPCO PB420 / 530 BERCO BBB0 CHICAGO PNEUMATIC (CP) CP400 / CP550 / RX8 / RX11 SANDHURST SMC XT400	16	15
KR34	KRUPP (SEE ALSO ATLAS COPCO) HM220 / 230	166	43
KR35	KRUPP (SEE ALSO ATLAS COPCO) HM60V	160	42
KR37	ATLAS COPCO MB1700 JCB HM1760	40	19
KR37	ALLIED HY-RAM 775CS KRUPP (SEE ALSO ATLAS COPCO) HM1000V / MB1700	176	45
KR38	ATLAS COPCO MB700 / 800 JCB HM860	34	18
KR38	ALLIED HY-RAM 745 CHICAGO PNEUMATIC (CP) CP750 / RX14 KRUPP (SEE ALSO ATLAS COPCO) HM580 / MB700	170	44
KR39	ATLAS COPCO MB1200	37	19
KR39	ALLIED HY-RAM 755 KRUPP (SEE ALSO ATLAS COPCO) HM780 / MB1200	174	44
KR40	ATLAS COPCO HB3000 / HB3100 CHICAGO PNEUMATIC (CP) CP3050 / RX45 / RX46 ALLIED HY-RAM 797 KRUPP (SEE ALSO ATLAS COPCO) HM2100 / 2300 / HB3000	44	20
KR41	ALLIED AS342 ATLAS COPCO PB110 BERCO BB42 CHICAGO PNEUMATIC (CP) CP100 / RX2 PROMOVE XP101 SANDHURST SMC XT70	12	15
KR42	ALLIED AS352 ATLAS COPCO PB160 BERCO BB52 CHICAGO PNEUMATIC (CP) CP150 / RX3 SANDHURST SMC XT100	13	15
KR43	ALLIED AS362 ATLAS COPCO PB210 BERCO BB62 CHICAGO PNEUMATIC (CP) CP200 / RX4 SANDHURST SMC XT200	14	15
KR44	ALLIED AS370 ATLAS COPCO PB310 BERCO BB70 CHICAGO PNEUMATIC (CP) CP300 / RX6 SANDHURST SMC XT300	15	15
KR46	ATLAS COPCO HB5800	48	21

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
91

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
KR46	KRUPP (SEE ALSO ATLAS COPCO) HM3000 / HB5800	181	45
MB11	IDROMECCANICA IMI 85 ITALDEM K 80 MONTABERT BRH40 OCM8 OMAL 80 OMD 20 PROMOVE PMV90 / P3SH STAR SH40	183	47
MB12	MONTABERT BRH75 / 76 / 90 / 91	184	47
MB13	IDROMECCANICA IMI 260 ITALDEM K 270 MONTABERT BRH25 OCM25 OMAL 235 / 270 / 270S / 276 OMD 30 PROMOVE PMV290 / 390 / P12SH STAR SH280	185	47
MB14	IDROMECCANICA IMI 600 / 605 ITALDEM K 550 JCB HM480 MONTABERT BRH250 / 270 OCM55 OMAL 500 / 550 OMD 50 PROMOVE PMV690 / P16SH STAR SH560	186	47
MB15	EURORAM / GLOBORAM / ROCKMASTER RM115 INDECO MES / UP 1750 / 1800 / HP1800 OMAL 1300	188	36
MB15	IDROMECCANICA IMI 1000 / 1010 ITALDEM K 1000 MONTABERT BRH501 / 570 OCM100 OMAL 1000 / 1050 OMD 100 PROMOVE PMV1000 / P23SH STAR SH990	187	47
MB16	MONTABERT BRH620	188	47
MB17	MONTABERT M900 JCB HM630 MONTABERT BRH625 / 900 PROMOVE P22 STAR SH1200 ITALDEM K 1030	189	48
MB18	IDROMECCANICA IMI 1200 ITALDEM K 1300 MONTABERT BRH750 OCM130 OMD 2000 PROMOVE PMV1390 / P27SH STAR SH1400	190	48
MB19	MONTABERT V1600	191	52
MB21	JCB HM690 MONTABERT V32(BRV32) MONTABERT V1200 / V32	192	51
MB22	MONTABERT V43(BRV43)	193	51
MB24	MONTABERT V53(BRV53)	194	52
MB25	MONTABERT M700	195	49
MB26	MONTABERT M600	196	49
MB29	MONTABERT V65(BRV65)	197	52
MB33	BOBCAT B500 MONTABERT M50 (BRP45 / 50)	198	48
MB34	BOBCAT B600 / B700 MONTABERT M70 (BRP60 / 70)	199	48
MB35	BOBCAT B300 MONTABERT M30 (BRP30)	200	48
MB36	BOBCAT B1200 / B1400 MONTABERT M140 / 150 (BRP130 / 140 / 150)	201	49
MB37	BOBCAT B850 / B950 MONTABERT M85 / 95 / 100 (BRP85 / 95 / 100)	202	48
MB39	MONTABERT M300	203	49
MB40	MONTABERT M125SX	204	49
MB41	BOBCAT B580 MONTABERT SC12	205	50
MB42	BOBCAT B980 MONTABERT SC28	206	51
MB43	BOBCAT B680 MONTABERT SC16	207	50
MB43	ALLIED AR85 INAN MAKINA (MTB) MT 45 MSB MS300H MTB MT45 WIMMER W-330	208	57
MB44	BOBCAT B880 MONTABERT SC22	209	50
MB45	BOBCAT B1180 MONTABERT SC36	210	51
MB46	BOBCAT B380 MONTABERT SC08	211	50
MB47	BOBCAT B280 MONTABERT SC06	212	50
MB48	MONTABERT V45(BRV45)	213	52
MB49	MONTABERT V55(BRV55)	214	52
MB50	MONTABERT V2500	215	53
MB51	MONTABERT V1800	216	52
MB52	MONTABERT SC42	217	51
MB53	MONTABERT SC50	218	51
MB54	DOOSAN DXB100H MONTABERT XL1000	219	53
MB55	DOOSAN DXB130H MONTABERT XL1300	220	53
MB56	DOOSAN DXB170H MONTABERT XL1700	221	53
MB57	DOOSAN DXB190H MONTABERT XL1900	222	54
MB58	DOOSAN DXB260H MONTABERT XL2600	223	54
MB59	MONTABERT V3500	224	53
MB60	MONTABERT V4500	225	53
MS11	MSB MS200	226	57

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
MS12	ALLIED AR70B INAN MAKINA (MTB) MT 25 MSB MS220 / MS230H MTB MT25 WIMMER W-220	227	57
MS14	ALLIED AR95 MSB MS400H WIMMER W-440	228	57
MS15	INAN MAKINA (MTB) MT 120 MSB MS500H / MS520H MTB MT120 WIMMER W-550	229	57
MS19	INAN MAKINA (MTB) MT 360 MSB MS900 MTB MT360 WIMMER W-990	230	58
MS20	ALLIED AR130B INAN MAKINA (MTB) MT 170 MSB MS600 MTB MT170 WIMMER W-660	231	58
MS21	ALLIED AR140 INAN MAKINA (MTB) MT 210 MSB MS700 MTB MT210 WIMMER W-770	232	58
MS22	ALLIED AR75B INAN MAKINA (MTB) MT 35 / 36 MSB MS225 / MS250H MTB MT35 / 36	233	57
MS23	MSB MS450H / MS460H	234	57
MS24	ALLIED AR160C INAN MAKINA (MTB) MT 275 MSB MS800 MS810H MTB MT270 / 275 WIMMER W-880	235	58
MS25	ALLIED AR120 INAN MAKINA (MTB) MT 150 MSB MS550H MTB MT150 WIMMER W-600	236	58
MS29	MSB SAGA 30II	237	55
MS30	MSB MS 35AT	238	56
MS31	MSB MS 45AT	239	56
MS33	MSB MS 75AT	240	56
MS34	MSB MS1000H	241	58
MS35	MSB SAGA 20II	242	55
MS36	MSB SAGA 40II	243	55
MS37	MSB SAGA 50	244	55
MS38	MSB SAGA 80 / 8I	245	55
MS39	MSB SAGA 100	246	55
MS40	MSB SAGA 120	247	55
MS41	MSB SAGA 180	248	56
MS42	MSB SAGA 200II / 220	249	56
MS43	MSB SAGA 300	250	56
MS44	MSB SAGA 350	251	56
NP10	NPK H-06X	252	62
NP11	ARROWHEAD 2T NPK H-08X	253	63
NP13	NPK H-1XA	254	63
NP14	ARROWHEAD 4T NPK H-2XA / E	255	63
NP16	NPK H-2X / H-3XA / E	256	63
NP17	NPK H-4X	257	63
NP18	NPK H-6XA	258	63
NP20	NPK H-7XA	259	63
NP22	NPK H-8XA	260	64
NP26	NPK E-210A	261	61
NP27	NPK GH9	262	60
NP27	NPK H-10XB / E / GH9	263	64
NP28	NPK H-12X / E	264	64
NP30	NPK H-16X / E	265	64
NP31	NPK H-20X / E	266	64
NP33	NPK E-235	267	62
NP34	NPK E-213	268	61
NP35	NPK E-220	269	62
NP36	NPK E-24X NPK E-224	270	62
NP37	NPK E-216	271	61
NP39	NPK E-225	272	62
NP43	NPK E-200 / GH06	273	59
NP44	NPK E-201 / GH07	274	59
NP45	NPK E-202 / GH1	275	59
NP46	NPK E-203 / GH2	276	59
NP47	NPK E-204 / GH3	277	59
NP48	NPK E-205 / GH4	278	59
NP49	NPK E-206	279	60

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
NP50	NPK E-12X NPK E-212	270	61
NP51	NPK E-15X NPK E-215	272	61
NP52	NPK E-18X NPK E-218	274	62
NP53	NPK E-207 / GH6	261	60
NP54	NPK E-208	262	60
NP55	NPK GH10	265	60
NP56	NPK E-240A	279	62
NP59	NPK E106	253	59
NP60	NPK GH12	266	60
NP61	NPK GH15	267	61
NP62	NPK GH18	268	61
NP63	NPK GH7	263	60
PJ11	OMAL 80S PEL-JOB MH90 ROTAIR OL90 (WITH COLLAR)	367	77
PR14	PROMOVE XP100	293	65
PR15	PROMOVE XP150	294	65
PR16	PROMOVE XP250	295	65
PR17	PROMOVE XP300 / XP400 / XP450	296	65
PR18	PROMOVE XP550 / XP551	297	65
PR19	PROMOVE XP800	298	65
PR20	PROMOVE XP1200	299	65
PR21	PROMOVE XP1500	300	66
PR23	PROMOVE XP2400	301	66
PR25	PROMOVE XP4500	302	66
RM11	BOBCAT 1750 CATERPILLAR CAT H50 / H50FT JCB HM160 O&K H32 RAMMER / SANDVIK S21 VOLVO HB130	304	67
RM11	KUBOTA KXB 400 / BTB400 RAMMER / SANDVIK BR321	338	72
RM12	JCB HM260 O&K H65 RAMMER / SANDVIK S23 ROBI BH30 VOLVO HB300	306	67
RM12	KUBOTA KXB 500 RAMMER / SANDVIK BR623	343	73
RM13	CATERPILLAR CAT H70 / H70FT RAMMER / SANDVIK S24	307	67
RM14	JCB HM360 O&K H85 RAMMER / SANDVIK S25 ROBI BH50 VOLVO HB440	308	67
RM14	KUBOTA KXB 600 RAMMER / SANDVIK BR825	345	73
RM15	CATERPILLAR CAT H90 / H90FT DAINONG (DNB) DNB D50 JCB HM460 RAMMER / SANDVIK S26	309	68
RM16	CATERPILLAR CAT 110 / B110 RAMMER / SANDVIK S52	312	68
RM17	CATERPILLAR CAT 115C / 116 DAINONG (DNB) DNB D60 JCB HM560 RAMMER / SANDVIK S54	313	68
RM18	CATERPILLAR CAT H120S JCB HM660 JCB HM1350 RAMMER / SANDVIK S55 / E66	314	68
RM18	O&K H260 RAMMER / SANDVIK E66 / S55	323	70
RM18	RAMMER / SANDVIK BR2266	355	75
RM19	CATERPILLAR CAT C130 DAINONG (DNB) DNB D70 / 90 JCB HM760 RAMMER / SANDVIK S56	315	69
RM20	RAMMER / SANDVIK S82	316	69
RM21	CATERPILLAR CAT 140 / B140S / H140AS DAINONG (DNB) DNB D110 RAMMER / SANDVIK S83	317	69
RM22	CATERPILLAR CAT 160 / B160 / H160AS JCB HM960 RAMMER / SANDVIK S84	318	69
RM23	CATERPILLAR CAT 170 / B170 / H170 DAINONG (DNB) DNB D160 RAMMER / SANDVIK S86	319	69
RM24	CATERPILLAR CAT H100 / H100FT JCB HM850 O&K H150 RAMMER / SANDVIK S29 ROBI BH80 VOLVO HB800	311	68
RM24	RAMMER / SANDVIK BR1129	348	74
RM25	CATERPILLAR CAT H63 / H63FT O&K H45 RAMMER / SANDVIK S22 VOLVO HB200	305	67
RM25	KUBOTA KXB 450 RAMMER / SANDVIK BR422	340	73
RM27	JCB HM550 O&K H120 RAMMER / SANDVIK S27 VOLVO HB600	310	68
RM27	RAMMER / SANDVIK BR927	346	73

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
RM30	CATERPILLAR CAT H115S JCB HM1050 &K H200 RAMMER / SANDVIK E64	321	70
RM30	RAMMER / SANDVIK BR2064	351	74
RM32	CATERPILLAR CAT H130S JCB HM1750 O&K H310 RAMMER / SANDVIK E68 VOLVO HB1700	324	70
RM32	ROBI EH170 RAMMER BR2568 / E68	356	75
RM33	JCB HM1450 RAMMER / SANDVIK E65 VOLVO HB1400	322	70
RM33	RAMMER / SANDVIK BR2265	354	75
RM34	JCB HM1150 RAMMER / SANDVIK E63 VOLVO HB1100	320	69
RM34	RAMMER / SANDVIK BR2063	350	74
RM35	CATERPILLAR CAT H140CS / 140DS JCB HM2350 O&K H380 RAMMER / SANDVIK G80 VOLVO HB2400	325	70
RM36	CATERPILLAR CAT H160CS.H160DS JCB HM2950 O&K H530 RAMMER / SANDVIK G90 VOLVO HB3200	327	71
RM36	RAMMER / SANDVIK BR3890	360	76
RM40	CATERPILLAR CAT 195 / B195 / H195 RAMMER / SANDVIK G120	331	71
RM41	CATERPILLAR CAT H180S JCB HM3850 RAMMER / SANDVIK G100	329	71
RM41	RAMMER / SANDVIK BR4510	362	76
RM42	RAMMER / SANDVIK BR4511 / G110	363	76
RM43	RAMMER / SANDVIK G130	332	71
RM43	RAMMER / SANDVIK BR7013	365	76
RM44	RAMMER / SANDVIK M14 / BR2214	333	72
RM44	RAMMER / SANDVIK BR2214	353	74
RM45	RAMMER / SANDVIK M18 / BR2518	334	72
RM46	RAMMER / SANDVIK G88	326	70
RM46	RAMMER / SANDVIK BR3088 / 3288 ROBI EH240	359	75
RM60	CATERPILLAR CAT H45 / H45FT KUBOTA KXB 300 / 380 RAMMER / SANDVIK S18 / PICCOLO VOLVO HB80	303	67
RT11	IDROMECCANICA IMI 88 PEL-JOB MH95 ROTAIR OL90 / 95	368	77
RT12	PEL-JOB MH180 ROTAIR OL180 / 260	370	77
RT13	ROTAIR OL 250 / 330	371	77
RT14	ROTAIR OL130 / 160	369	77
S010	SOCOMECH MDO 500	382	79
S011	SOCOMECH MDO 550	384	79
S012	SOCOMECH MDO 750	385	79
S013	SOCOMECH DMS 410	380	79
S014	SOCOMECH MDO 1450	387	80
S017	SOCOMECH MDO 2050	389	80
S019	SOCOMECH MDO 900V	386	80
S020	SOCOMECH MDO 1950	388	80
S021	SOCOMECH DMS 220 / MDO 100	376	78
S022	SOCOMECH MDO 3200 / MDO 3000	390	80
S023	SOCOMECH DMS 310 / 330 / MDO 250 / 260	378	78
S024	SOCOMECH DMS 270	377	78
S025	SOCOMECH DMS 95 / 95-2 / MDO 55	373	78
S026	SOCOMECH DMS 150 / 160 / 165 MDO 80	374	78
S027	SOCOMECH DMS 430 / MDO 450	381	79
S028	SOCOMECH DMS 50	372	77
S034	SOCOMECH DMS 680 / 740 / 850 / 910	383	79
S035	SOCOMECH DMS 210	375	78
S036	SOCOMECH MDO 4000	391	80
SS10	SOOSAN SB30	394	81
SS11	SOOSAN SB40 / SB4	396	81
SS12	DEHACO DBH15 SOOSAN SB20	393	81
SS13	SOOSAN SB45 / SB5	398	82
SS14	SOOSAN SB50	399	82

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
93

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FOR HELP IN FINDING THE RIGHT PRODUCT FOR
YOU, THEN JUST CALL +44 (0)1981 251922



PAGE
94

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
SS16	SOOSAN SB60	400	82
SS18	SOOSAN SB10	392	81
SS19	SOOSAN SB121 / 120A	404	83
SS21	DEHACO DBH380 SOOSAN SB151	406	83
SS22	SOOSAN SB43	397	81
SS23	SOOSAN SB100	403	82
SS24	SOOSAN SB130 / 140	405	83
SS26	SOOSAN SB35	395	81
SS28	SOOSAN SB70 / SB71	401	82
SS30	SOOSAN SB81	402	82
SV3	RAMMER / SANDVIK G99	328	71
SV3	RAMMER / SANDVIK BR4099	361	76
SV10	RAMMER / SANDVIK BR2155	352	74
SV11	RAMMER / SANDVIK BR2577	357	75
SV13	RAMMER / SANDVIK BR555	342	73
SV14	RAMMER / SANDVIK BR777	344	73
SV15	RAMMER / SANDVIK BR999	347	74
SV17	RAMMER / SANDVIK BR1533	349	74
SV18	RAMMER / SANDVIK BR5011	364	76
TK11	DRAGO DRH50 / 60 / 70 / 80 INAN MAKINA (MTB) MT 15 KOMATSU JTHB20 MTB MT15 TELEDYNE TB120 / 125 TOKU (BTI) TNB 1E / 2M	409	84
TK12	DRAGO DRH120 HUPPI 102 KOMATSU JTHB30 TELEDYNE TB180 / 225 TOKU (BTI) TNB 2E / 3M	410	84
TK13	DRAGO DRH180 / 250 HUPPI 302 KOMATSU JTHB50 TELEDYNE TB220 / 325 TOKU (BTI) TNB 4E / 5M	412	84
TK14	DRAGO DRH280 HUPPI 402 KOMATSU JTHB60 / 65 TELEDYNE TB400 / 425 / 625 TOKU (BTI) TNB 6E / 6.5E / 7M	413	85
TK15	DRAGO DRH650S / 900 HUPPI 902 KOMATSU JTHB100 TELEDYNE TB700 / 725 / 750 / 825 TOKU (BTI) TNB 7E / 10E	415	85
TK16	DRAGO DRH1150S / 1600S TELEDYNE TB900 / 925 / 975 / 1000 / 1025 TOKU (BTI) TNB 14E / 16E	416	85
TK18	DRAGO DRH1900 TELEDYNE TB1300 / 1425 TOKU (BTI) TNB 22E / 23E	417	85
TK19	TELEDYNE TB1825 / 2075 TOKU (BTI) TNB-31E / 30E	418	85
TK20	DRAGO DRH150 KOMATSU JTHB40 TELEDYNE TB275 / TB285 TOKU (BTI) TNB 3E / 4M	411	84
TK21	TELEDYNE TB830 TOKU (BTI) TNB 100	419	86
TK22	HUPPI 1900 / 1902 KOMATSU JTHB150 TELEDYNE TB980 TOKU (BTI) TNB 150 / 151	420	86
TK23	KOMATSU JTHB230 TELEDYNE TB1680 TOKU (BTI) TNB 230	422	86
TK25	KOMATSU JTHB190 TOKU (BTI) TNB 190	421	86
TK27	KOMATSU JTHB310 TELEDYNE TB2080 TOKU (BTI) TNB 310	423	86
TK29	HUPPI 72 KOMATSU JTHB10 TOKU (BTI) TNB 08E / 1M	408	84
TK30	HUPPI 52 KOMATSU JTHB08 TOKU (BTI) TNB 08M	407	84
TK32	KOMATSU JTHB400 TELEDYNE TB2580 TOKU (BTI) TNB 400	424	86
TK34	TOKU (BTI) TNB 7J	414	85
T011	DEHACO DHB 75 KOMATSU JKHB71 TAKEUCHI TKB- 71 TOYO THBB 71	427	87
T012	DEHACO DHB165 KOMATSU JKHB101 TAKEUCHI TKB-101 TOYO THBB 101	428	87
T013	DEHACO DHB 305 KOMATSU JKHB301 TAKEUCHI TKB-301 TOYO THBB 301	430	87
T014	DEHACO DHB 405 KOMATSU JKHB401 TAKEUCHI TKB-401 TOYO THBB 401	431	88
T015	DEHACO DHB 805 DEHACO DHB 3205 (4105) KOMATSU JKHB801 TAKEUCHI TKB-801 TOYO THBB 801	432	88
T016	DEHACO DHB 1305 KOMATSU JKHB1401 TAKEUCHI TKB-1401 TOYO THBB 1401	434	88
T017	DEHACO DHB 2305 KOMATSU JKHB2000 TAKEUCHI TKB-2000 TOYO THBB 2000	436	88

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
T018	DEHACO DHB 35 KOMATSU JKHB31 TAKEUCHI TKB- 31 TOYO THBB 31	425	87
T019	DEHACO DHB 55 KOMATSU JKHB51 TAKEUCHI TKB- 51 TOYO THBB 51	426	87
T020	DEHACO DHB 1250 KOMATSU JKHB1101 TAKEUCHI TKB-1101 TOYO THBB 1101	433	88
T021	DEHACO DHB 1605 (1405) KOMATSU JKHB1600 TAKEUCHI TKB-1600 TOYO THBB 1600	435	88
T022	KOMATSU JKHB3000 TAKEUCHI TKB-3000 TOYO THBB 3000	437	89
T023	JKHB (KOMATSU) JKHB 201 TAKEUCHI TKB-201 TOYO THBB-201	429	87


The purpose of this guide is to provide advice on the correct application of Thomas Turton Demolition Tools and assist in analysing and resolving any complaints immediately they occur.

Cause and Effect of Fatigue Failures

The continuous cycle of compressive and tensile stresses in a Demolition Tool, even under correct operating conditions, creates fatigue stress in the tool which can lead to fatigue failure of the tool before it is worn out. Anything which interferes with the normal operational cycle of compressive and tensile stresses will increase the level of fatigue stress being applied to the tool, increasing the risk of early fatigue failure.

1) Leverage/Bending

The main cause of increased fatigue stress in a demolition tool is any form of side pressure during service which creates bending. Utilising the tool as a lever, using the incorrect driving angle or attempting to break ground using the "pull" of the machine are all detrimental to the life of a demolition tool and should be avoided (see Figure 1).




2) "Free Running"/"Blank Firing"

This can arise in any situation where the working end is not in proper contact with the material to be broken. This includes jobs where the tool slides off the work and also when break-through of thin concrete slabs or boulders occurs. It is essential that the tool is applied at a right-angle to the working surface at all times.

3) Lubrication

Regular lubrication is essential. Any form of damage to the surface of a demolition tool renders it more liable to suffer fatigue failure. Care must be taken to prevent accidental gouging or contact welding ("galling" or "pickup") due to contact between the tool and chuck bushings either through lack of lubrication or excessive leverage (see Figure 2).



4) Cold/Corrosion

Low temperature causes a Demolition Tool to be more susceptible to fatigue failure. Tools should be kept sheltered from the weather when not in use. A rusty Demolition Tool is more likely to suffer fatigue failure, so tools should be kept well greased.

5) Worn Internal Hammer Parts

Worn hammer parts can cause the tool to be held too "loosely". This can create surface damage on the tool, which can lead to fatigue failure of the tool. Worn parts can also cause uneven striking on the tool, which may lead to fatigue failure of the tool and damage to the piston.

Continued...

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU, THEN JUST CALL +44 (0)1981 251922





PAGE
95

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

WARRANTY GUIDE


6) Typical Failures (Guide to Warranty Claims)

Thomas Turton Demolition Tools are manufactured from first class materials and then heat-treated to produce tools with optimum fatigue and wear resistance. When a tool has apparently failed to give satisfactory service life, a brief visual inspection can often give a quick indication of the cause.




a) Typical fractures caused by excessive bending/
leverage of the demolition tool.

Warranty claims rejected.




b) Typical of high stress fracture, usually caused by
using the tool as an anchor to "pull" the machine.

Warranty claims rejected




c) Typical fracture caused by levering tool whilst buried
in the burden.

Warranty claims rejected.



d) Typical fractures caused by blank firing and/or
excessive chuck bush wear/damage.

Warranty claims rejected.




e) Typical fractures caused by blank firing
and/or twisting of the tool due to worn/damaged
retainer pin.

Warranty claims rejected.




f) Typical fracture caused by lack of lubrication and/or
chuck bush wear/damage.

Warranty claims rejected.



g) Mushrooming: this is caused by driving the chisel
or point into hard dense material for too long a
period of time without penetration. This generates
intense heat, softening the point and causing it
to "mushroom". This is not a manufacturing fault.

Warranty claims rejected.



h) Note fatigue lines originate from the internal point,
not outer diameter. Very rare failure type due to steel
defect. 100% warranty accepted.